










Fakir















General
Programme

LEGEND



Floor Care

-  Upholstery nozzle
-  Crevice nozzle
-  Furniture brush
-  Switch over floor suction nozzle
-  Turbo brush
-  Hard floor nozzle
-  Textile nozzle
-  Electric suction brush
-  Turbo mattress/upholstery brush

Cordless power

-  Suction nozzle for wet pick-up
-  Operating time in min.
-  Use: Household
-  Electric suction brush
-  Lithium-Ion-Battery
-  Use: Car
-  Furniture brush
-  NiMH-Battery
-  Use: Caravan
-  Crevice nozzle
-  Power input
-  Use: Boat





Heating

-  Heating stages
-  Drip-proof
-  Spray water protected
-  Turbo fan

Climate and Ventilation

-  Oscillation
-  Timer
-  Fan stages

General









-  Remote control
-  Bagless
-  Extremely quiet
-  WiFi

INDEX


COMPETENCE

History of Fakir	04 - 05
Competence, awards and innovation	06 - 07
Accessories	08




FLOOR CARE

 Canister vacuum cleaners	10 - 15
 Bagless vacuum cleaner	16 - 17
 Feel the cleanliness	18
 Vacuum cleaner for wet and dry pick-up	19
 Special cleaners	20 - 21
 Handheld and upright vacuum cleaners	22 - 23
 Robot vacuum cleaner	24
 Steam cleaners and polishers	25 - 26




CORDLESS POWER

 Rechargeable vacuum cleaners	27 - 34
--	---------

HEATING

 Tower heaters and bathroom heater	36 - 39
 Fan heaters and quartz heaters	40 - 41
 Rapid heaters, convectors and oil-filled radiators	42 - 45

CLIMATE AND VENTILATION

 Air conditioners	46 - 47
 Air purifier / Air humidifier	48 - 49
 Cooling fans	50 - 55

TECHNICAL DATA

Survey of dust bags and filters	56 - 57
Product overview	58 - 83

Imprint	83
---------	----

Quality from Germany

since more than  years

Something special – This is our principle since more than 80 years. For us, this does not only mean cleanliness, care and comfort because we offer you the complete well-being programme for your home.

Wilhelm Kicherer began our company's success story in the 30s when he founded the family-owned company Fakir in Mühlacker. At this time, machines and appliances for cleaning floors were manufactured.

hand in hand with an innovative development of the company. Fakir met the challenges of a growing European market and rapid changes in technology with its high quality products, thus creating an unmistakable profile marked by quality. Even today, this development is carried forward by the innovative planning of the company management, intensive research in the development and the company's highly motivated and qualified staff.

Today, Fakir's product portfolio includes floor cleaning, floor care, heating appliances, small appliances and the product lines ventilation/air conditioners, steam cleaning as well as appliances for a healthy well-being.



Fakir – an acronym for “Family Kicherer” – soon became a synonym for high-quality and innovative technology in the field of home appliances. During the expansion of the company in the 50s, electric heating appliances for household use were added to the production programme. In 1978, in a step of forward looking planning the management acquired new, large premises in Vaihingen/Enz. Part of the production was moved from Mühlacker to the new premises because the original factory in the town center had to give way to the redesigned town center and the Mühlehof cultural and shopping center was built there. This spatial expansion went



1933

1954

1967

1976

1989

1998

2003

2015

2016

Over 80 years' experience INNOVATION

Fakir's special expertise is substantiated by its decades-long focus on floor cleaning and maintenance, cooling and heating. The company defines itself through development - construction - design - production.



Quality makes no compromises which is why Fakir still produces "Quality from Germany" at its production facilities in Vaihingen, e.g. the S-class which sets standards across the board. As we have our own R&D department, we are able to realize new concepts and technical development of existing products quickly. A strict quality

assurance and a clever logistics system ensure absolute reliability and therefore maximum consumer benefits.

That's Fakir -
Something special.

Test result: EXCELLENT



We ensure that cleaning rooms is simpler and quicker for you and that the results last longer. Numerous test results demonstrate this.

Renowned test institutes agree: they find many of our products not just good - but outstanding. We are delighted by this and are taking it as motivation to continue to develop outstanding quality products that will also make your life more convenient.



Made in GERMANY

Quality from Germany. Fakir has stood for top quality products, high reliability and exemplary durability for more than 80 years.

Quality is the result of decades of experience and the setting of the highest demands on itself and its partners. Since the 30s, the name Fakir is synonymous with the knowledge and experience proven for manufacturing professional floor cleaning equipment "Made in Germany". Many of our products are designed, developed, manufactured and quality controlled in Germany.



Energy-saving TECHNOLOGY

The Fakir vacuum cleaner is equipped with new energy-saving technology.

A combination of highly efficient accessories i.e. vacuum nozzle, tube, *HE motor, filter and appliance provide optimum vacuum power at low energy usage. It offers excellent dust collection, low dust release and low noise level on both carpeted and hard floors.

*High-efficiency motor

The right accessory FOR EVERYTHING

There is an extensive range of accessories available and thus these products can be adapted perfectly to your needs at any time.

The large and varied range of accessories allows you to customize your vacuum cleaner to your exact requirements.



Turbo brush: Cleans right into the fibres of carpets and rugs and removes stubborn particles of fluff and animal hair thanks to a rotating roller brush driven by the vacuum cleaner air flow.



Upholstery nozzle: Specially designed for vacuuming upholstery, mattresses, stairs and other smaller areas.



Hard floor nozzle: Specially suited for hard floors such as tiles, parquet or laminate. Soft brush bristles allow the nozzles to glide over the floor easily and collect even the finest of dirt.



Crevice nozzle: Serves to clean hard-to-access places, such as deep cracks, corners, recesses, etc.



Textile nozzle: Perfect removal of dust from upholstery, curtains or clothes by the extra-large fluff and thread pick up removing statically sticking particles.



Furniture brush: Perfectly suited for dusting furniture, shelves, books, picture frames, etc.



Electric suction brush: Dislodges dirt sitting deeply right at the base of textile flooring via the motor-driven, powerfully rotating roller brush.




Switch over floor suction nozzle: With high quality and robust plastic slide. Also in backward motion the articulated joint fixes the nozzle to the floor.



Turbo mattress/upholstery brush: Cleans upholsteries, mattresses or car seats thanks to a rotating roller brush driven by the vacuum cleaner air flow.

Fakir



Only the best for you PERFECT FLOOR CLEANING

Maximum performance means to us to continuously further develop existing products to meet the growing demands of our customers with respect to performance, simple operation and last but not least quality.

Quality is more than just durability and sturdiness; suction power more than just motor output - it's all down to the perfected interaction of all components from the handle to the brush or nozzle, regardless of size or appliance type. It is not just about building the best and most powerful vacuum cleaner, it is important to supply top-quality appliances for every output and price range and to ensure that these are tailored to meeting your individual needs and requirements to make your work as easy as possible whilst remaining kind to the cleaning surfaces despite high suction power.

Regardless of whether you need a Premium appliance with a wide range of accessories or a modern styled compact model for a single household, each Fakir vacuum cleaner provides everything you would expect from a high-class appliance within its class.

rements to make your work as easy as possible whilst remaining kind to the cleaning surfaces despite high suction power.



Regulation of vacuum power




Accessory clip on suction tube



Carrying handle



Integrated accessory compartment



Suction tube parking position



Rubber covered soft roll guiding wheels

Professional care Thorough cleaning

The dry tub vac premium | S 20 E: thanks to the super-silent-technology - the most quiet, powerful professional vacuum cleaner ever developed by Fakir. With its large operating radius of 15 m, the sturdy canister and the ergonomic design the premium | S 20 E is also suitable to clean larger surfaces in residential and commercial buildings.

premium | S 20 E

- Super quiet performance thanks to super-silent-technology
- Perfect for allergy sufferers: 4-stage filter system with micro nonwoven dust bag, permanent fine dust filter, motor protection filter and HEPA-filter

Characteristics:

- 800 watt power input
- 15 m operating radius
- 12 m cable length

Accessories:



Optional accessory

Optional accessory



Sound pressure level



reddot design award winner 2013



Colour: grey/black



4 002780 009231

Features:

- Two power settings: MAX and SILENT
- One-hand locking/unlocking of the motor head
- Stainless steel telescopic tube
- All round bumper
- Retractable cable holder
- Five rubber castors with multi-directional mobility
- Accessory holder
- Power head socket

Tools on board and tube parking



One-hand locking/unlocking



All round bumper



Top-class with exclusive filter system THE FAKIR PREMIUM | S-CLASS

Continuing Fakir's tradition, the premium | S-class represents the top models in the vacuum cleaner range not only unifying incomparable suction power, out-standing technique, advanced suction power control, filter technologies and an extensive range of accessories, but always convincing in daily use by the comfortable handling thanks to their ergonomic design.

premium | S 250

- High-efficiency motor for optimum vacuum power
- Extensive range of accessories, including heating element brush
- Equipped with a socket for connecting the optional electric suction brush

Characteristics:

- 800 watt power input
- 8 m operating radius

Features:

- Electronic suction power control with plus-/minus touch
- Electronic dust bag full indicator

Accessories:



Optional accessory



Made in GERMANY



Colour: arctic white/anthracite



4 002780 009217

premium | S 200

- Extensive range of accessories, including heating element brush inside the integrated accessory compartment
- Electronic dust bag full indicator
- Dust-proof housing

Characteristics:

- 800 watt power input
- 8m operating radius

Features:

- Electronic suction power control by means of a slide control, infinitely variable
- Soft roll wheels

Accessories:



Made in GERMANY



Colour: anthracite



4 002780 009224

The vacuum cleaners prestige | 1805 and prestige | 2105 especially satisfy with excellent energy efficiency and practical storage system. They have no weaknesses and also receive very good scores picking up dust particles from hard floors and carpets. Moreover, the automatic stop in the parking position offers an easy and practical comfort use.

prestige | 2105

- Extensive range of accessories, including turbo brush with rotating roller brush and hard floor nozzle
- Automatic motor stop in parking position
- High-quality floor suction nozzle with robust plastic slide

Characteristics:

- 700 watt power input
- 9 m operating radius

Features:

- Electronic suction power control by means of a slide control, infinitely variable

Accessories:



Made in EUROPE



Colour: black



4 002780 009200

prestige | 1805

- Automatic motor stop in parking position
- Including hard floor nozzle with soft bristles, especially suited for tiles, parquet or laminate
- Soft roll wheels

Characteristics:

- 700 watt power input
- 9 m operating radius

Features:

- Electronic suction power control by means of a slide control, infinitely variable
- Integrated accessory compartment

Accessories:



Optional accessory

Made in EUROPE



Colour: black



4 002780 009187

Cleanliness – Care – Comfort Easy to use

The household cleaning jobs in your home are varied and much easier to perform when the appliance is perfectly designed for these tasks. Our Fakir range offers various solutions offloor care – individually adapted to your requirements.

Ares | TS 130

- Lightweight, ergonomic, very convenient
- Including hard floor nozzle with soft bristles, specially suited for tiles, parquet or laminate
- Handle with quick-storage for an accessory

Characteristics:

- 650 watt power input
- 9 m operating radius

Accessories:



Features:


- Electronic suction power control by means of a slide control, infinitely variable
- Soft roll wheels and integrated accessory compartment



Colour: crema/grey



4 002780 009088



Colour: red/grey



4 002780 009095

Our A-series Perfect floor cleaning

Fakir quality with excellent price performance ratio – the A-series. Ideal for those who are looking for a lightweight but full-fledged vacuum cleaner. A special feature of all models is the large-volume suction hose with a diameter of 38 mm for efficient suction power.

trend | A2 | trend | A1

- Extensive range of accessories, including turbo brush with rotating roller brush and hard floor nozzle
- Soft roll wheels
- Accessory clip on suction tube

Characteristics:

- 750 watt power input
- 7.5 m operating radius

Features:

- Electronic suction power control by means of a slide control, infinitely variable
- Suction tube parking position


Accessories:



Colour: titan-metallic




4 002780 009064



Colour: matt black




4 002780 009057



Colour: blue-metallic



4 002780 009071



Innovation in design and technology

No dust bags – without loss of vacuum power

A bagless vacuum cleaner with futuristic design. The latest technology offers best results with simple handling. Clyde | BL 180, the Fakir bagless vacuum cleaner is one of the most efficient bagless vacuum cleaners providing perfect cleaning- and energy values. It is equipped with a high-performance motor and a robust and optimized nozzle technology which ensures improved dust pick-up, also along edges.

Clyde | BL 180

- Perfect edge cleaning thanks to built-in vacuum channels located at the side of suction nozzle
- Filtration rate of 99,91% thanks to the filter cassette with dual-filter-system and the EPA-filter
- High-efficiency motor for optimum suction power

Characteristics:


- 750 watt power input
- 9 m operating radius

Accessories:



Features:

- Filter cassette with dual-filter-system
- Centrifugal system: Thanks to its centrifugal power, the dust and the dirt are separated from the air flow and are collected in the dust container
- Accessory holder
- Chromed telescopic tube



HIGH EFFICIENCY MOTOR
EPA FILTER
EDGE CLEANING

Easy to empty



Dual-Filter-System



Colour: silver/red



Fakir




Feel the cleanliness FAREWELL DIRT

It's the end of deep-seated dirt in your carpets, meaning you can clear your head and breathe easy.

A surface cleaning is not sufficient enough to remove all deep-seated dirt. An ideal cleaning is always a deep cleaning.

- Suction power is more than motor output - it's all down to the perfected interaction of all components.
- Fakir-compressor motors unify two advantages in one technology: powerful performance, but energy saving.
- The suction power becomes apparent when vacuuming: a high air flow provides for an optimum dust pick-up, and thus for high cleaning results.

Carpet fibre



Ideal for allergy sufferers: Wet/dry pick-up vac with water filtration

Our wet/dry pick-up vac Hygien | NT 2600 H₂O is equipped with a water filter box. Even the smallest dust particles are washed out in the water bath.

Hygien | NT 2600 H₂O

- Particularly suitable for allergy sufferers
- Characteristics:
- 1,600 watt power input
 - 8.9 m operating radius
 - Water filter box with a capacity of 3.5 l
 - Motor electronically adjustable, digital in 4 stages

Accessories:



Features:

- 4-stage filter system: Water filter, EPA-filter, motor protection filter, foam filter
- LED power indication
- Float valve which automatically interrupts vacuuming when the max. water level is reached
- Suction tube parking position
- Stainless steel telescopic tube
- Automatic cable rewind
- Soft roll wheels



Colour: crema



Technical data page 61

Water filter box



Power regulation



Integrated accessory compartment



Professional care Thorough cleaning

The ash vacuum cleaner trend | SR 100 is specifically designed to clean cold and warm ash out of fireplaces, tile stoves, barbecue grills, sauna stoves, etc. Thanks to the flexible suction hose and the short aluminium tube even hard-to-reach areas in the fireplace are easy to clean. With its 10 l tank volume, the ash vacuum provides plenty of space for ashes.

trend | SR 100

- Space-saving, powerful and sturdy.
- Thoroughly cleaning of fireplaces, tile stoves, barbecue grills, sauna stoves.

Characteristics:

- 600 watt power input

Features:

- EPA-filter
- 10 l tank volume
- 1 m in-hose, metal - plastic coated



Colour: black



Our premium | SR 9800 S - strong, sturdy and outstanding in three respects: for dry and wet vacuuming and wash cleaning.

premium | SR 9800 S

- The cleansing liquid is sprayed directly on the carpet from a pressure line integrated into the suction hose and suction tubes
- Easy to empty dirt water tank
- Two large easy-running wheels and two guiding wheels
- Touch contact switch for spraying and suction control

Characteristics:

- Bypass motor with 1,600 watt
- 8 m operating radius
- Tank capacity: fresh water 4.3 l/dirt water 22 l

Features:

- 7-stage filter system
- External fresh water tank
- Automatic cable rewind

Accessories:

- Cleansing agent for carpets and upholstery washing nozzle



Colour: anthracite/stainless steel



Professional energy saving appliance for deep cleaning of various carpet types - over 30 years' experience come apparently with the proven, extremely silent and energy saving combivac.

premium | SR 1107

- Three micro-pile adjustments
- Thorough brush-vacuuming thanks to the dual-line chevron designed roller brush
- Three-filter technique: EPA-filter, micro exhaust air filter, 4-ply micro nonwoven dust bag


Characteristics:

- Two-motor technology/800 watt power input
- 14 m operating radius, 12.5 m cable length

Features:

- Electronic brush and suction control
- Electric dust bag full indicator
- Rotating cable holder
- Accessory holder
- Soft roll wheels

Accessories:



Colour: anthracite



The one that vacuums all Handheld and upright vacuum cleaners

The corded Starky PRO | HS 300 is both "a hand and stick vacuum" and comes fully equipped with a telescopic tube, crevice nozzle and upholstery nozzle. The unit is convenient, easy to operate and indispensable in both home and office. The removable handheld vacuum attachment makes cleaning of hard to reach areas a thing of the past.


Starky PRO | HS 300

- Easiest transformation from upright to handheld vacuum including use of telescopic tube
- Space-saving feature due to its upright and free-standing position

Characteristics:

- 700 watt power input
- 7 m operating radius

Accessories:



Features:

- Bagless
- Filter system: EPA-filter, pre-filter, exhaust air filter
- Two soft roll wheels
- Handheld and upright vac
- Telescopic guide and suction tube
- Free-standing design
- Ergonomic handle
- Cable storage
- Pivot joint with swivel function

Easy to transform into a handheld vac



Colour: silver/smoked glass



4 002780 009248

Compact, versatile and easy to use with storage saving benefits due to its free standing design.


Starky | HS 160

- Easy to transform from upright to handheld vacuum
- Ergonomic handle
- Filter system with washable motor protection filter, textile filter and EPA-filter

Characteristics:

- 700 watt power input
- 6.5 m operating radius

Accessories:



Features:

- Bagless
- Washable motor protection filter, textile filter, EPA-filter
- Upright position
- On/off rotary button with electronic power control
- Ergonomic handle
- Easy manoeuvrable thanks to the pivot joint with swivel function
- Cable storage with rotating cable holder



Colour: silver/black



4 002780 009156

Rob – the perfect “man” for the job! Robot vacuum cleaner Robert

Robert | RS 700 is reliable and independent, he works alone and requires no external assistance. He can be pre-programmed with your regular weekly cleaning schedule i. e. day and time which is then accessed via the quick start button. The robot will independently find its charging station, re-charging will take approximately 3 to 4 hours. Once fully charged the unit will either commence cleaning or continue the unfinished task. Sensors prevent the robot from entering a bathroom, they also observe the proximity to certain objects i.e. a vase. Low level furniture is of no concern due to the minimal height of 9.5 cm. With a 2 hour battery runtime and the capability to detect steps and obstacles the robot can continue its work uninterrupted.

Robert | RS 700

- Counter-rotating rubber brush with beater function and roller brush for perfect vacuuming
- Short charging time – maximum runtime
- Cost saving – no ongoing cost of buying bags

Characteristics:

- 14.4 V; 2.2 Ah power input


Accessories:



Features:

- Virtual wall (barrier unit)
- Cleaning brush
- Charging base with charger
- 3 side brushes
- 2 nonwoven filters
- 2 microfibre mops
- 1 mop holder
- Remote control
- 2 batteries for virtual wall
- 2 batteries for remote control

Virtual wall



Detection function



Colour: silver/black



8 690394 653771

Floor care optimized for you CARE AND SHINE

Different floor coverings require specialist cleaning systems. Our steam cleaners offer gentle cleaning without chemicals. Our experts in hard floors ensure a professional level of care and shine.

Hygienic cleaning using steam and without chemicals. Bacteria and mites don't have a hope. Quick and thorough cleaning for sitting rooms, kitchens, hallways and bathrooms. Accompanied by perfectly coordinated accessories, Fakir steam cleaners adapt flexibly to all situations.

prestige | DR 86*

prestige | DR 88**

Steam Expert | DR 140

- Heat-proof and sturdy plastic housing
- Short heating time – long operating time
- Including extensive range of accessories, e.g. triangular brush, window cleaning nozzle, jet nozzle, etc.

Characteristics:

- 1,450 watt power input
- 7.5 m operating radius

Features:

- Stainless steel pressure tank
- Water shortage control indication
- Cable rewind
- Steam hose with handle and touch contact switch

Accessories:



Colour DR 86: white



4 002780 008555

Colour DR 88: white



4 002780 008562

Colour: violet



8 690394 646612

Product series Floor Polishers

Perfect cleaning for different types of hard flooring – wood parquet, PVC tiles, linoleum or stone – our Fakir floor polishers have been renowned for their superlative performance for over four decades. Equipped with a robust metal housing and a foot pedal for convenient switching on.

premium | EB 3 SL

- Excellent quality with robust metal housing
- Double filter system with 2-ply paper dust bag
- Two plastic wheels and extra long power cable for effortless operation on large surfaces

Characteristics:

- 500 watt power input

Accessories:

Waxing. The wax is sprayed on or applied to the floor and by means of the hard fibre brushes it is evenly rubbed into the floor.



Hard fibre brush for waxing and scrubbing, washable.



The SB pads are made of durable nylon, also easily washable later on. (Scotch-Brite).

premium | EB 2

- Comfortable switching-on by using the foot pedal
- Perfect cleaning and care of hard floors: polishing, waxing, grinding
- With extensive range of standard and optional accessories

Characteristics:

- 300 watt power input

Sealing cover for 3 SL



Optional accessory



Made in GERMANY



Colour: light grey



4 002780 000238

Colour: light grey



4 002780 000726

Grinding. Dirt and wax residues are completely removed from untreated wooden floors by means of the special sanding pads. In case of particularly concentrated dirt put on SB pads on the brushes.



The sanding disc is only used as a base for the sanding pads.



Sanding pads are available in three grits which are to be applied according to dirt level.

Polishing and final gloss polish. As soon as the wax has been absorbed, use the electric floor polisher with the polishing brushes. The final gloss polish is then done with the felt pads.



The polishing brushes are both soft and durable. Standard equipment



Felt pads are usable on both sides. Standard equipment

Fakir



Cordless Power

2in1: Rechargeable handheld and upright vacuum cleaners

The Fakir rechargeable handheld and upright vacuum cleaner series Starky | HSA allows a thorough, cordless and bagless cleaning. They are equipped with a 14.4 Volt, 18 Volt or 25.5 Volt lithium ion battery with an operating time up to 30 minutes, 40 minutes or 55 minutes. The cyclone technology ensures high vacuum power without loss of performance, even if the dust box is full. The handheld vacuum cleaner is easily detachable by pressing a button.

Starky | HSA 144

- Bagless rechargeable upright vacuum cleaner which can be transformed easily into a handheld vacuum cleaner.
- Only 2.3 kg, removable suction nozzle and a practical carrying handle
- Space-saving feature due to its upright and free-standing position
- Ergonomic handle


Features:

- 60 watt
- Operating time rechargeable upright vacuum cleaner: up to 30 min
- Operating time handheld vacuum cleaner: 20 min

Characteristics:

- Rubberized wheels
- Washable foam filter
- Dust box with a capacity of up to 0.5 l dry dirt
- Freestanding charging base with accessory holder

Accessories:



Colour: white / green



Starky | HSA 180

- Bagless rechargeable upright vacuum cleaner which can be transformed easily into a handheld vacuum cleaner.
- Only 2.5 kg, removable suction nozzle and a practical carrying handle
- Space-saving feature due to its upright and free-standing position
- Ergonomic handle


Features:

- 80 watt
- Operating time rechargeable upright vacuum cleaner: up to 40 min
- Operating time handheld vacuum cleaner: 30 min

Characteristics:

- Rubberized wheels
- Washable foam filter
- Dust box with a capacity of up to 0.5 l dry dirt
- Freestanding charging base with accessory holder

Accessories:



Colour: red / grey



Starky | HSA 252

- Bagless rechargeable upright vacuum cleaner which can be transformed easily into a handheld vacuum cleaner.
- Only 2.7 kg, removable suction nozzle and a practical carrying handle
- Space-saving feature due to its upright and free-standing position
- Ergonomic handle


Features:

- 80 watt
- Operating time rechargeable upright vacuum cleaner: up to 55 min
- Operating time handheld vacuum cleaner: 35 min

Characteristics:

- Rubberized wheels
- Washable foam filter
- Dust box with a capacity of up to 0.5 l dry dirt
- Freestanding charging base with accessory holder

Accessories:



Colour: silver / smoked glass



Freestanding charging base with accessory storage



Combi nozzle



Crevice nozzle



Easy and quick cleaning **UNCOMPLICATED**

The household cleaning jobs in your home are varied and much easier to perform when the appliance is perfectly designed for these tasks.

The generation of powerful rechargeable vacuum cleaners from Fakir. Designed and developed in Germany. The rechargeable vacuum cleaners are easy to carry and offer convenient vacuuming. Ideal for use in-between, for cleaning smaller and hard-to-reach areas or for cleaning tasks far away from any power outlet.

Environmental-friendly NiMH batteries, high-performance lithium ion batteries provide cleaning power for up to 25 minutes of operation without

loss of performance. The attachable electric suction brush rotates and releases even deep-seated dirt or animal hair from upholstery, mattresses or floor coverings.

High performance and intelligent technology as ideal aides not only for households with pets.



Usable anywhere, anytime **The Car-Boat-Caravan Version**

The battery operated vacuum cleaner prestige | AS 1108 T CBC (Car-Boat-Caravan) comes equipped with a 12 volt charging cable and a carrying and storage bag. For those unexpected emergencies, the LED-lamp with emergency light provides all-round lighting on board or in your vehicle.

The rotating electric powered suction brush is easily attached. Stubborn dirt or pet hair on upholstery is effortlessly collected.

prestige | AS 1108 T CBC (Car-Boat-Caravan)

- Wide range of accessories for home and vehicle
- NiMH-battery without memory effect
- Charging options: wall mountable charging base or stand charging base

Characteristics:


- 10.8 V/1.5 Ah power input



Colour: silver/smoked glass



Technical data page 68



Handy and practical Cordless power from Fakir



Rechargeable Fakir vacuum cleaners are not only small and fast, they are a real alternative to mains-operated appliances thanks to their strong suction power and long operating times. Special feature of models premium | AS 1800 T and premium | AS 1108 TL is the attachable power-LED-lamp with emergency flashlight ideal for car and hobby.

premium | AS 1800 T

- Lithium ion batteries and the 18.5 V motor provide high and effective suction performance
- Electric powered suction brush

Characteristics:

- 18.5 V/1.5 Ah power input

Features:

- Combined charger status control and charging control lamp
- Stand-/wall-mountable charging base with accessory storage
- Charger with cable
- Washable filter
- Power-LED-lamp

Accessories:



Colour: silver/smoked glass



4 002780 008685

premium | AS 1108 TL

- Short charging time for constant high performance
- Space-saving storage in wall mountable charging station
- NiMH batteries without memory effect

Characteristics:

- 10.8 V/1.3 Ah power input

Features:

- Charging control lamp
- Charger with cable
- Washable filter
- Power-LED-lamp

Accessories:



Colour: silver/smoked glass



4 002780 008869

prestige | AS 1072 T

- Lightweight and quiet
- Washable filter
- Space-saving storage with accessory holder

Characteristics:

- 7.2 V/1.3 Ah power input

Features:

- Charging control lamp
- Charger with cable
- Washable filter
- 6-cell NiMH-battery pack

Accessories:



Colour: silver/smoked glass



4 002780 008647



prestige | AS 1072 NT

- An ideal wet/dry cleaning unit for home use
- Including wet suction nozzle with rubber lip for vacuuming liquids
- Available in three different colours

Characteristics:

- 7.2 V/1.3 Ah power input

Features:

- Charging control lamp
- Charger with cable
- Washable filter
- Wall mountable charging base with accessory holder

Accessories:



Colour: crema



4 002780 008968

Colour: red



4 002780 008951

Colour: silver/smoked glass



4 002780 008654



Fakir

premium | AS WH Racing Edition

- Corpus with modern carbon painting
- Lithium ion batteries for longer life without memory effect
- The powerful 18.5 V motor performs efficient cleaning
- Space-saving storage in freestanding or wall mountable charging base

Characteristics:

- 18.5 V/1.5 Ah power input

Features:

- Combined charger status control and charging control lamp
- Charger with cable
- Washable filter

Accessories:



Colour: carbon/anthracite



4 002780 009392

premium | AS LHN 18

- Powerful with high performance battery
- 25 minutes operating time without loss of performance
- Ergonomic and rubberized handle

Characteristics:

- 18 V/2.1 Ah power input

Features:

- Charging control lamp
- Charger with cable
- Washable EPA-filter

Accessories:



Colour: black/chrome



8 690394 635210



Energy saving heating appliances

WELL-BEING

Additional mobile heating not only saves heating energy, but provides for a relaxed leisure time, sense of well-being and wellness at home. Especially in the in-between season when the central heating does not yet run at full speed, fan heaters are welcome as additional heating.

The Fakir two-zone tower heater premium | HT 2000 provides an ambient temperature throughout the home even where there is no central heating installed.

premium | HT 2000

- Space-saving design
- Adjustable electronic thermostat
- Two PTC ceramic heating elements - separately controllable

Characteristics:

- 600/1,000/1,200/2,000 watt power input

Features:

- Four heating stages
- Silent blower
- LED-display
- Overheat cut-out
- Tip over protection
- Carrying handle
- Replaceable dust filters

Accessories:



Powerful and yet quiet.



Colour: black



LED-display



Glass bottom base for extra stable standing



Removable dust filter



premium | HT 800

- Ultra Slim Line: modern and slim design, width: 5 cm, depth: 15 cm
- Remote control: Convenient temperature control and setting of the heating stages by IR remote control
- Oscillation: Distributes heat evenly throughout the room

Characteristics:

- 2,000 watt max. power consumption
- 2 heating stages 1,200 / 2,000 watt

Features:

- Carrying handle
- Thermostat with frost guard setting
- 8 h timer
- LED-display
- Anti-tip protection

Accessories:



Colour: high-gloss white



premium | HT 700 WiFi

- WiFi-function: The tower heater can be conveniently and comfortably controlled via app
- ECO-function: The self-regulation of the heating stages enables an effective heating output with low power consumption
- Oscillation: Distributes heat evenly throughout the room

Characteristics:

- 2,000 watt max. power consumption
- 2 heating stages 1,300 / 2,000 watt

Features:

- LED-display
- Timer
- Thermostat with frost guard setting
- Carrying handle

Accessories:



Remote control



WiFi App



Colour: high-gloss white



prestige | HT 400

- Convenient controlling of the temperature by the IR remote control
- ECO-function: The self-regulation of the heating stages enables an effective heating output with low power consumption
- Owing to the anti-tip protection and the overtemperature protection

Characteristics:

- 2,000 watt max. power consumption
- 2 heating stages 1,300 / 2,000 watt

Features:

- Carrying handle
- Thermostat with frost guard setting
- Timer-function
- LED-display
- Oscillation

Accessories:



Remote control



Colour: high-gloss white



Ceramic bathroom heater

Fast and luxurious warmth

The Fakir trend | HB 120 ceramic bathroom heater, owing to the IPX3 spray water protection, is optimally suited for bathroom use. The 2,000 watt ceramic bathroom heater may be used as a wall or floor unit. When deployed as a wall unit, the carrying handle may be used as a towel holder.

trend | HB 120

- Spray water-proof IPX3: Optimally suited for bathroom use
- Suitable as stand unit and for wall mounting

Characteristics:

- 2,000 watt max. power consumption
- 2 heating stages 1,200 / 2,000 watt

Accessories:



Features:

- Carrying handle
- Overtemperature protection
- Pilot lamp
- Towel holder (wall mounted)



Colour: high-gloss white / silver



Performance at their very best Warmth to feel comfortable



Our fan heaters combine powerful heating output for pleasant warmth with appealing colours and shape that fit in harmoniously within your home.

Hobby | HL 600

- Can also be used in bathrooms thanks to the drip-proof housing
- 2 heating stages/1 fan stage, selectable by means of rotary switch
- suitable as stand unit and for wall mounting

Characteristics:

- 2,000 watt power input
- 2 heating stages (1,000/2,000 watt)

Features:

- Room thermostat with frost guard setting
- 2 Overheat cut-outs
- Pilot lamp

Accessories:



Colour: bahama/pearl white



Colour: grey/pearl white



Colour: black/pearl white



Cosy | HL 320

- Can also be used in bathrooms thanks to the drip-proof housing
- 2 heating stages/1 fan stage, selectable by means of rotary switch

Characteristics:

- 2,000 watt power input
- 2 heating stages (1,000/2,000 watt)

Features:

- 1 overheat cut-out
- Room thermostat with frost guard setting

Accessories:



Colour: light grey/pearl white



Colour: anthracite/pearl white



Doppio | HL 160

- Horizontal and vertical positioning possible
- Room thermostat, adjustable - 15°C - 35°C
- 2 heating stages, selectable by means of rotary switch

Characteristics:

- 2,000 watt power input
- 2 heating stages (1,000/2,000 watt)

Features:

- Room thermostat with frost guard setting
- Overheat cut-out
- Pilot lamp

Accessories:



Colour: creamy white / antracite



trend | HL 100

- IP21 Drip-proof housing: Optimally suitable as a supplementary heating device in the bathroom
- Safety: Owing to the anti-tip protection and the overtemperature protection

Characteristics:

- 2,000 watt max. power consumption
- 2 heating stages 1,000 / 2,000 watt

Features:

- Carrying handle
- Pilot lamp
- Anti-tip protection
- Fan stage

Accessories:



Colour: white / grey



trend | HL 140

- Safety: Owing to the anti-tip protection and the overtemperature protection
- LED circular illumination

Characteristics:

- 1,800 watt max. power consumption
- 2 heating stages 900 / 1,800 watt

Features:

- Carrying handle
- Fan stage

Accessories:



Colour: high-gloss white / silver



prestige | HL 300

- Electronic control by LED-touch display
- Oscillation: Distributes heat evenly throughout the room
- ECO-function: The self-regulation of the heating stages enables an effective heating output with low power consumption

Characteristics:

- 1,800 watt max. power consumption
- 3 heating stages 600 / 1,200 / 1,800 watt

Features:

- Carrying handle
- 24 h timer
- 1 fan stage
- Overtemperature protection
- Anti-tip protection

Accessories:



Colour: high-gloss white / silver



Regardless of whether you change the napkin or after the bath: babies need warmth – quick, without draught, but closely and with highest possible safety.



prestige | HQ 600

- Quartz heater for baby's changing table, GS-approved
- Pilot lamp with visual display
- Swiveling radiation angle up to 30°

Characteristics:

- 600 watt power input

Features:

- Quartz heating elements
- Swiveling housing
- Main switch with cord pull

Accessories:



Colour: silver/white



4 002780 006438

prestige | HQ 1800

- 3 heating stages, adjustable with cord pull
- Swiveling radiation angle
- Suitable for wall fitting

Characteristics:

- 600/1,200/1,800 watt power input

Features:

- 3 quartz heating elements
- Swiveling housing
- Main switch with cord pull

Accessories:



Colour: silver/white



4 002780 005141

Uniformly warm Noiseless heating

The rapid heater prestige | HF 500 does not need a warm-up time and therefore provides instant warmth. It is suitable for a number of uses, e.g. as a frost guard in cellar or as auxiliary heating in the lavatory.

prestige | HF 500

- Ideal auxiliary device for wall mounting
- Robust heating element with polished stainless steel housing
- Drip-proof IP21

Characteristics:

- 500 watt power input

Features:

- Room thermostat infinitely variable
- Pilot lamp
- Ready-to-operate
- Power supply cable

Accessories:



Colour: chrome/anthracite



4 002780 005288

The convector prestige | HK 2010 CT makes use of the natural chimney effect: warm air rises and draws the colder ambient air from below which in turn is heated thereby ensuring that the room is heated evenly and quietly. A turbo fan has been installed to support this effect and ensure particularly quick heating.

prestige | HK 2010 CT

- Suitable as stand unit and for wall mounting
- Heat insulated recessed grips
- Additional turbo fan for all setting stages to ensure particularly quick heating

Characteristics:

- 2,000 watt power input
- 3 heating stages

Features:

- Room thermostat with frost guard setting
- Overheat cut-out
- Power supply cable

Accessories:



Colour: white



4 002780 009385



Colour: black



4 002780 008449

Mobile oil-filled radiators with fan function

The radiators with 9 resp. 11 fins also serve as air humidifiers. The clothes airer accessory allows the airing or drying of towels clothes etc. The radiators come equipped with a built-in in overheat protection switch which activates when the required temperature exceeds.



prestige | HR 09 TURBO

- 9 fins
- 4 heating stages between 800 and 2,300 watt
- Included as standard: clothes airer

Characteristics:

- 2,300 watt power input

Features:

- Tilt lock mechanism
- Heater blower
- Thermostat
- Overheat protection
- Air humidifier
- Power supply cable

Accessories: 



Colour: pearl grey



8 690394 642713

prestige | HR 11 TURBO

- 11 fins
- 4 heating stages between 1,000 and 2,500 watt
- Included as standard: clothes airer

Characteristics:

- 2,500 watt power input

Features:

- Tilt lock mechanism
- Heater blower
- Thermostat
- Overheat protection
- Air humidifier
- Power supply cable

Accessories: 



Colour: pearl grey



8 690394 637603

Fakir



Pleasant cooling Healthy well-being

The air conditioners Fakir prestige | AC 9 and prestige | AC 12 ensure continuous „all-year round“ climate control. In summer as well as in winter they provides, quickly and flexibly, refreshing coolness and comfortable warmth. The various adjustable ventilation settings and the electronic temperature- and time pre-setting features ensure energy-saving efficiency and provide constant ambient surroundings for both leisure and work.

prestige | AC 9

- inconspicuously quiet and offers a high cooling and heating performance
- Advanced electronics, such as timer function, remote control with display and temperature sensor (16-32°)
- The motorized air flow control feature ensures regular air movement within the room.


Characteristics:

- Power input cooling max.: 9000 BTU/h (2.6 kW)
- Power input heating max.: 9000 BTU/h (2.6 kW)
- Dehumidification capacity: 14.4 l/day

Features:

- mobile and ready-to-operate
- ventilation function, cooling function, heating function
- 3 ventilation stages
- timer
- remote control

Accessories:



Colour: white / black



prestige | AC 12

- inconspicuously quiet and offers a high cooling and heating performance
- Advanced electronics, such as timer function, remote control with display and temperature sensor (16-32°)
- The motorized air flow control feature ensures regular air movement within the room.


Characteristics:

- Power input cooling max.: 12000 BTU/h (3.5 kW)
- Power input heating max.: 11300 BTU/h (3.3 kW)
- Dehumidification capacity: 14.4 l/day

Features:

- mobile and ready-to-operate
- ventilation function, cooling function, heating function
- 3 ventilation stages
- timer
- remote control

Accessories:



Colour: white / black



Clean refreshing air **HEALTHY AND FRESH**

Relax with the smell of fresh air inside your home. Pleasant coolness on a hot summer's day not only makes you feel better in your spare time, it also increases your performance at work.

People today spend up to 90 % of their lives in closed rooms. Studies show that reductions in productivity, fatigue, allergies and frequent colds are often the consequence of rooms with poor air conditioning.

This is why a healthy room climate is not a luxury but immensely important for our health

The Vigor Plus | LR 600 - a compact and lightweight multifunctional air purifier with ionic technology. To produce biological healthy air in living spaces up to 70 m³.

Vigor Plus | LR 600

- 3 fan stages including one silent mode
- Automatic sensor for regulation of the blower
- Pleasant room climate - the Vigor Plus combines the mechanical and electrostatic process of purification with a particularly effective multistage filter system



Colour: titan-silver



4 002780 007923

and general well-being. Pleasant temperatures and humidity levels not only result in relaxed leisure time at home, but also sustain and promote concentration and endurance at work. If you feel good, then you'll find everything you do is easier. Fakir also offers an air humidifier specially for controlling humidity levels. Besides that we have products for climate and ventilation in our program.

Characteristics:

- 80 watt power input

Features:

- Automatic switch-off
- Carrying handle
- Diagnostic sensors
- Electronic programming

Accessories:



Comfortable timer-function



Practical remote control



The humidifier prestige | LB 20 is an expert in dry air for example in heated rooms. It ensures a pleasant climate at low energy consumption.

prestige | LB 20

- Suitable for rooms up to approx. 45 m² respectively 110 m³
- Strong performance - very quiet operation
- Automatic water decalcification

Characteristics:

- 35 watt power input

Features:

- Misting nozzle rotatable
- Automatic water decalcification
- Humidification output infinitely adjustable
- Misting output infinitely adjustable
- Integrated hygostat
- Removable water tank
- Water level indicator



Colour: light grey



4 002780 007046

Control elements



Invigorating and refreshing The cool breeze

Fresh air at the touch of a button, all through your home: compact, high-performance and yet quiet. The Fakir tower fans offer all these advantages along with proven Fakir quality.

prestige | TVL 90

- Compact, powerful and yet quiet
- Functions selectable via remote control
- 3 speeds

Characteristics:

- 90 watt power input

Features:

- LED-display
- 8-hours timer
- Oscillating up to 80°
- Adjustable air flow
- Integrated room thermostat

Accessories:



Colour: black/silver



8 690394 650220

Technical data page 80

prestige | TV 18

- Functions on/off, speed, oscillation and wind mode, also selectable via remote control
- Stable – pedestal diameter of 33 cm
- Oscillating up to 60°

Characteristics:

- 40 watt power input

Features:

- Storage compartment for remote control
- 7.5 hours timer
- 3 speeds

Accessories:



Colour: black



4 002780 008586

Technical data page 80/82

Enjoy fresh air without the disruption of noise. Modern electronics allow you to adapt the ventilation to perfectly suit your personal requirements – timer, remote operation and various wind modes.

prestige | TVL 30

- Pleasant well-being on hot summer days
- Height adjustable from 120 to 135 cm
- Remote control for the functions: on/off, speed, oscillation, timer and wind mode

Characteristics:

- 40 watt power input

Features:

- Storage compartment for remote control
- 3 oscillation modes: 90°, 180°, 360°
- 12-hours timer
- 3 wind modes
- 8 speeds

Accessories:



Colour: silver



4 002780 007275

Technical data page 80/82

prestige | VC 360° Rotating

- 16" 360° rotating pedestal cooling fan
- Stable telescopic stand (up to 1.55m)
- Inclination adjustable

Characteristics:

- 55 watt max. power consumption

Features:

- 7.5 hours Timer
- 3 Wind modes
- 3 speed (Normal, Natural, Sleep)

Accessories:



Colour: silver / dark grey



8 690394 650183

Technical data page 80/82

Models prestige | VC 40 S and prestige | VC 20 S combine the known advantages of a classical pedestal cooling fan with a particularly attractive design in the highclass execution.

prestige | VC 40 S

- 4.1 kg only
- Height adjustable from 120 cm to 140 cm
- Inclination adjustable

Characteristics:

- 55 watt power input

Accessories:



Colour: silver/dark grey



4 002780 008593

prestige | VC 20 S

- Lightweight - 3.5 kg only
- Horizontal and vertical oscillation
- Stable telescopic stand
- Height adjustable from 115 to 135 cm

Characteristics:

- 55 watt power input

Accessories:



Colour: silver/anthracite



8 690394 655331

With their subtle colours, our pedestal fans blend in well anywhere and ensure rapid, comfortable cooling according to preference by simply pressing a button to switch between different wind speeds. The prestige | VL 45 GF demonstrates its adaptability with its integrated, removable remote control.

prestige | VL 45 GF

- Quick and easy assembly
- Stable telescopic stand
- Height adjustable from 100 to 135 cm

Characteristics:

- 60 watt power input

Features:

- 3 speeds, 2 wind modes
- Oscillating
- Remote control

Accessories:



Best ventilation,
high-quality finish.

Colour: gun metal



4 002780 006674

prestige | VC 45 S

- Height adjustable from 119 cm to 139 cm
- Inclination adjustable
- 3 speeds
- Oscillating

Characteristics:

- 60 watt power input

Accessories:



Colour: silver/anthracite



4 002780 007633

Simply fresh For hot summer days

Our compact table fans ensure a pleasant ambient temperature, whether at work or at home: they combine high-performance, innovative technology with being very easy to use and extremely convenient.

prestige | VL 30 G

- Inclination adjustable
- Superior and attractive design in metallic look
- 3 speeds

Characteristics:

- 45 watt power input

Accessories:



prestige | VC 29

- Inclination adjustable
- 2 speeds
- Metal protective grille

Characteristics:

- 40 watt power input

Accessories:



Powerful and yet quiet



Colour: gun metal




4 002780 008579

Colour: silver/anthracite



4 002780 007619

Fakir



Dust bag survey

Designation	Contents	Ref.-No.	premium S 200 / S 250	prestige 1805	prestige 2105	Ares TS 130	trend A1 / A2 / A 220	premium S 20 E	premium SR 9800 S	premium SR 1107	Starky PRO HS 300	Starky HS 160	premium EB 3 SL
<i>Pack of</i>													
Micro nonwoven filters	5*	20 19 805		●	●								
Micro nonwoven filters	5**	20 60 805				●							
Micro nonwoven filters	5***	24 10 805	●										
Micro nonwoven filters	5*	27 22 805					●						
Micro nonwoven filters	5	26 30 805						●					
Micro nonwoven filters	5*	27 99 805											
Micro nonwoven filters	5	36 26 805								●			
<i>Pack of</i>													
Paper bags	10	22 70 810							●				
Paper bags	5*	26 01 805							●				
Paper bags	5	01 10 805										●	
<i>Carton</i>													
Micro nonwoven filters	70	26 40 870						●					
Paper bags	250	22 04 980						●					
Paper bags	250	33 01 980							●				

Fakir-original accessory | ● = available | * Dust bags including motor protection filter | ** Dust bags including motor protection filter and exhaust air filter | *** Dust bags including micro main filter and micro exhaust air filter

Filter survey

Designation	Contents	Ref.-No.	premium S 200 / S 250	prestige 1805	prestige 2105	Ares TS 130	trend A1 / A2 / A 220	Clyde IBL 180	Hygien NT 2600 H ₂ O	premium S 20 E	premium SR 9800 S	premium SR 1107	Starky PRO HS 300	Starky HS 160	prestige AS 1108 T CBC	premium AS 1800 T	premium AS WH Racing Edition	prestige AS 1072T / AS 1072 NT	prestige AS 1108 TL	premium AS LHN 18	premium EB 3 SL	trend SR 100	Starky HSA 144, 180, 252	
Dust filter	1	30 43 161																						
Textile fine dust filter	1	22 08 842										●												
Textile filter	1	30 79 161												●										
Textile filter	1	23 26 830																						
Permanent filter	1	22 15 890									●													
Cartridge filter cpl.	1	22 08 280										●												
Filter cassette Micro-Vario	1	24 14 060	●																					
HEPA (H13) filter	1	26 30 870									●													
EPA (E 11) filter	1	20 18 085		●	●	●																		
HEPA (H 13) Filter	1	23 38 060											●											
HEPA (H 13) Filter	1	24 13 860	●																					
EPA (E 11) Filter	1	36 23 085																						
EPA (E 11) Filter	1	27 22 860						●																
EPA (E 11) Filter	1	20 22 085							●															
EPA (E 11) Filter	1	29 12 860																						
EPA (E 11) Filter	1	36 30 085						●																
EPA (E 11) Filter	1	29 11 860																						
EPA (E 10) Filter	1	30 79 085													●									
EPA (E 11) Filter	1	36 21 085												●										
EPA (E 10) Filter	1	30 35 085																			●			
EPA (E 12) Filter	1	36 29 860																					●	
Pre-filter	1	30 35 075																						
Nonwoven filter	1	30 91 083																						
Micro exhaust air filter set	1	20 18 890		●	●	●																		●
Micro exhaust air filter	1	23 40 252											●											
Exhaust air filter	1	36 21 890												●										
Pre-filter	1	36 21 086												●										
Micro-filter-cassette	1	20 18 080		●	●																			
Micro-filter-set	1	24 12 890	●																					
Foam filter	1	30 91 084																						●
Motor protection filter	1	20 18 086		●	●	●																		
Motor protection filter	1	22 08 036											●											
Motor protection filter	1	30 79 086													●									
Motor protection filter	1	36 30 086							●															
Motor protection filter (cut to size)	1	20 06 086						●																
Motor protection filter	1	26 30 405										●												
Motor protection filter	1	30 91 086																						●
Permanent fine dust filter, cpl.	1	26 30 850									●													
Nylon fine dust filter	1	32 87 305											●											
Foam filter	1	22 47 303											●											
Micro pre-filter cassette	1	36 23 080																						

Fakir-original accessory | ● = available

Technical Data



Basic data	Model	premium S 250	premium S 200	
	Colour	arctic white/anthracite	anthracite	
	Reference-number	36 17 003	36 18 003	
	EAN-Code	4 002 780 009 217	4 002 780 009 224	
	Size (H x W x D)	55 x 30 x 24 cm	55 x 30 x 24 cm	
	Weight	8.7 kg	8.7 kg	
	Maximum power consumption	800 watt	800 watt	
	Suction power control	electronically with (+/-) touch infinitely variable	electronically by slide control, infinitely variable	
	Power indication	LED-indication	scale	
	Test marks	protective insulation	protective insulation	
	Features	Storage-system	●	●
		Accessory storage	●	●
		Suction tube parking position	●	●
Cable rewind/cable holder		●	●	
Operating radius		8 m	8 m	
Power head socket		●	x	
Manoeuvrable by		2 rubber covered soft roll wheels, 1 rubber covered guiding wheel	2 rubber covered soft roll wheels, 1 rubber covered guiding wheel	
Telescopic tube		stainless steel	stainless steel	
Suction hose with handle		● + suction control	● + suction control	
Recommended use		for thorough cleaning and gentle care of carpets and hard floors in living space		
Filters & dust bags	Filter system	Micro-Vario cassette with HEPA-filter, 5-ply micro nonwoven dust filter, micro main filter, micro exhaust air filter		
	Capacity of filter bag	4.5 l, with disposal ledge	4.5 l, with disposal ledge	
	Dust bag full indicator	electrical	electrical	
	Lid closing stop	●	●	
	Maximum vacuum	24 kPa	24 kPa	
	Maximum air flow	34 l/sec.	34 l/sec.	
	Dust bags coming with the appliance	2 pc(s).	2 pc(s).	
	HEPA-filter	● Ref.-No.: 24 13 860	● Ref.-No.: 24 13 860	
	Micro exhaust air filter	1 pc(s).	1 pc(s).	
	Micro main filter	1 pc(s).	1 pc(s).	
Micro nonwoven filters (5 pc(s).)	○ Ref.-No.: 24 10 805	○ Ref.-No.: 24 10 805		
Filter sets	HEPA-filter	● Ref.-No.: 24 13 860	● Ref.-No.: 24 13 860	
	Micro exhaust air filter	1 pc(s).	1 pc(s).	
	Micro main filter	1 pc(s).	1 pc(s).	
	Micro nonwoven filters (5 pc(s).)	○ Ref.-No.: 24 10 805	○ Ref.-No.: 24 10 805	
	Accessories	Switch over floor suction nozzle	pivot joint with swivel function	pivot joint with swivel function
		Hard floor nozzle	●	●
		Upholstery nozzle	●	●
		Furniture brush	●	●
Crevice nozzle		● + heating element brush	● + heating element brush	
Turbo suction brush (small)		○ Ref.-No.: 24 11 820	○ Ref.-No.: 24 11 820	
Turbo suction brush (large)		○ Ref.-No.: 27 25 820	○ Ref.-No.: 27 25 820	
Electric suction brush		○ Ref.-No.: 2414810	x	

● = available respectively included in the basic equipment | x = not available respectively not possible | ○ = available as optional accessory/not included in the basic equipment | Fakir-original accessory | Subject to technical modifications



Basic data	Model	Ares TS 130	prestige 2105	prestige 1805	
	Colour	red/grey · crema/grey	black	black	
	Reference-number	36 05 003 · 36 04 003	36 16 003	36 14 003	
	EAN-Code	4 002 780 009 095 4 002 780 009 088	4 002 780 009 200	4 002 780 009 187	
	Size (H x W x D)	37.5 x 31.5 x 29.5 cm	45 x 39 x 30 cm	37 x 29 x 30 cm	
	Weight	5.9 kg	7 kg	7 kg	
	Maximum power consumption	650 watt	700 watt	700 watt	
	Suction power control	electronically by slide control, infinitely variable	electronically by slide control, infinitely variable	electronically by slide control, infinitely variable	
	Power indication	min/max	Icons	Icons	
	Test marks	protective insulation	protective insulation	protective insulation	
	Features	Storage-system	●	x	x
		Accessory storage	●	●	●
		Suction tube parking position	●	● + automatic motor stop	● + automatic motor stop
Cable rewind/cable holder		●	●	●	
Operating radius		9 m	9 m	9 m	
Manoeuvrable by		2 rubber covered soft roll wheels, 1 rubber covered guiding wheel	2 rubber covered soft roll wheels, 2 rubber covered guiding wheels	2 rubber covered soft roll wheels, 2 rubber covered guiding wheels	
Telescopic tube		●	●	●	
Suction hose with handle		● + suction control	● + suction control	● + suction control	
Recommended use		for thorough cleaning and gentle care of carpets and hard floors. Extensive range of accessories for furniture care			
Filters & dust bags		Filter system	5-ply micro nonwoven filter bag, EPA filter, motor protection filter	5-ply micro nonwoven filter bag, EPA filter, motor protection filter	5 ply micro nonwoven dust filter, motor protection filter, EPA-filter
	Capacity of filter bag	3.5 l	4.5 l	4.5 l	
	Dust bag full indicator	x	●	●	
	Lid closing stop	x	●	●	
	Maximum vacuum	22 kPa	20 kPa	20 kPa	
	Maximum air flow	32 l/sec.	30 l/sec.	30 l/sec.	
	Dust bags coming with the appliance	2 pc(s).	2 pc(s).	2 pc(s).	
	EPA-filter	● Ref.-No.: 20 18 085	● Ref.-No.: 20 18 085	● Ref.-No.: 20 18 085	
	Micro exhaust air filter	x	x	x	
	Motor protection filter	●	●	●	
Micro nonwoven filters (5 pc(s).)	○ Ref.-No.: 20 60 805	○ Ref.-No.: 20 19 805	○ Ref.-No.: 20 19 805		
Filter sets	EPA-filter	● Ref.-No.: 20 18 085	● Ref.-No.: 20 18 085	● Ref.-No.: 20 18 085	
	Micro exhaust air filter	x	x	x	
	Motor protection filter	●	●	●	
	Micro nonwoven filters (5 pc(s).)	○ Ref.-No.: 20 60 805	○ Ref.-No.: 20 19 805	○ Ref.-No.: 20 19 805	
	Accessories	Switch over floor suction nozzle	pivot joint with swivel function	pivot joint with swivel function	pivot joint with swivel function
		Hard floor nozzle	●	●	●
		Upholstery nozzle	●	●	●
		Furniture brush	●	●	●
Crevice nozzle		●	●	●	
Turbo suction brush (small)		x	x	x	
Turbo suction brush (large)		○ Ref.-No.: 36 14 920	●	○ Ref.-No.: 36 14 920	
Electric suction brush		x	x	x	

● = available respectively included in the basic equipment | x = not available respectively not possible | ○ = available as optional accessory/not included in the basic equipment | Fakir-original accessory | Subject to technical modifications

Technical Data



	trend A2			trend A1			trend A 220			
	Model	Colour	Reference-number	EAN-Code	Size (H x W x D)	Weight	Maximum power consumption	Suction power control	Power indication	Test marks
Basic data	trend A2	titan-metallic	36 02 003	4 002 780 009 064	42 x 29,5 x 24 cm	6.4 kg	750 watt	electronically by slide control, infinitely variable	+/-	protective insulation
	trend A1	matt black	36 01 003	4 002 780 009 057	42 x 29,5 x 24 cm	6.4 kg	750 watt	electronically by slide control, infinitely variable	+/-	protective insulation
	trend A 220	blue-metallic	36 03 003	4 002 780 009 071	42 x 29,5 x 24 cm	6.4 kg	750 watt	electronically by slide control, infinitely variable	+/-	protective insulation
Features	Storage-system	●	●	●	Accessory storage	Clip on suction tube	Clip on suction tube	Clip on suction tube	Suction tube parking position	●
	Cable rewind / cable holder	●	●	●	Operating radius	7.5 m	7.5 m	7.5 m	Power head socket	x
	Manoeuvrable by	2 rubber covered soft roll wheels, 1 rubber covered guiding wheel	2 rubber covered soft roll wheels, 1 rubber covered guiding wheel	2 rubber covered soft roll wheels, 1 rubber covered guiding wheel	Telescopic tube	premium varnished metal	premium varnished metal	premium varnished metal	Suction hose with handle	● + suction control
	Recommended use	for thorough cleaning and gentle care of carpets and hard floors in living spaces. Extensive range of accessories for furniture care.								
Filters & dust bags	Filter system	5-ply micro nonwoven filter bag, EPA filter, motor protection filter								
	Capacity of filter bag	3.5 l	3.5 l	3.5 l	Dust bag full indicator	mechanical	mechanical	mechanical	Lid closing stop	●
	Maximum vacuum	22 kPa	22 kPa	22 kPa	Maximum air flow	33 l/sec.	33 l/sec.	33 l/sec.	Dust bags coming with the appliance	3 pc(s).
Filter sets	EPA-filter	● Ref.-No.: 27 22 860	● Ref.-No.: 27 22 860	● Ref.-No.: 27 22 860	Micro exhaust air filter	x	x	x	Motor protection filter	●
	Micro nonwoven filters (5 pc(s).)	○ Ref.-No.: 27 22 805	○ Ref.-No.: 27 22 805	○ Ref.-No.: 27 22 805	Accessories	Switch over floor suction nozzle	pivot joint with swivel function	pivot joint with swivel function	pivot joint with swivel function	Hard floor nozzle
	Upholstery nozzle	●	●	●	Furniture brush	●	●	●	Crevice nozzle	●
	Roller brush	x	x	x	Turbo suction brush (small)	x	x	x	Turbo suction brush (large)	○ Ref.-No.: 27 25 820 / standard with A2
	Electric suction brush	x	x	x						

● = available respectively included in the basic equipment | x = not available respectively not possible | ○ = available as optional accessory / not included in the basic equipment | Fakir-original accessory | Subject to technical modifications



	Clyde BL 180
Basic data	Model: Clyde BL 180
	Colour: silver / red
	Reference-number: 36 30 003
	EAN-Code: 40 02780 00935 4
	Size (H x W x D): 43.5 x 33 x 27 cm
	Weight: 5.6 kg
	Maximum power consumption: 750 watt
	Max. air flow: 29 l/sec.
	Maximum vacuum: 22 kPa
	Capacity of dust bag: 1 l
	Operating radius: 9 m
	Test marks: protective insulation, GS
Filters & dust bags	EPA-filter: ● Ref.-No.: 36 30 085
	Micro pre-filter cassette: ●
	Centrifugal system: ●
	Motor protection filter: ●
	Dust box full indicator: ●
	Filter clogged indicator: ●
Operation & Safety	On / Off: button
	Storage-system: ●
	Telescopic tube: chromed
	Suction hose with handle: ●
	Automatic cable rewind: ●
Accessories	Floor suction nozzle: ● (switchable)
	Upholstery nozzle: ● + thread pick-up
	Crevice nozzle: ●
	Furniture brush: ● (Attachment)
	Accessory storage: ●
	Replacement motor protection filter: 36 30 086

● = available respectively included in the basic equipment | x = not available respectively not possible | ○ = available as optional accessory / not included in the basic equipment | Fakir-original accessory | Subject to technical modifications



	Hygien NT 2600 H ₂ O
Basic data	Model: Hygien NT 2600 H ₂ O
	Colour: cream
	Reference-number: 29 28 003
	EAN-Code: 8 690 394 649 927
	Size (H x W x D): 51 x 34 x 38 cm
	Weight: 6.7 kg
	Maximum power consumption: 1,600 watt
	Suction power control: electronically, digital in 4 stages
	Power indication: LED-indication
	Test marks: protective insulation
Features	Storage-system: x
	Accessory storage: ●
	Suction tube parking position: ●
	Cable rewind / cable holder: ●
	Operating radius: 8.9 m
	Manoeuvrable by: 2 soft roll wheels with 1 rubber covered guiding wheel
	Telescopic tube: stainless steel
	Suction hose with handle: ●
	Recommended use: for thorough cleaning and gentle care of carpets and hard floors in living spaces. Extensive range of accessories for furniture care.
Filters & dust bags	Filter system: 4-stage filter system: water filter, EPA filter, motor protection filter, foam filter
	Capacity of dust bag / filter box: 3.5 l
	Dust bag full indicator: x
	Lid closing stop: x
	Maximum vacuum: 20 kPa
	Maximum air flow: 37 l/sec.
	Dust bags coming with the appliance: x
Filter sets	EPA-filter: ● Ref.-No.: 20 22 085
	Exhaust air filter: x
	Motor protection filter: ●
	Micro nonwoven filters (5 pc(s).): x
	Paper bags (bag): x
Accessories	Switch over floor suction nozzle: pivot joint with swivel function
	Hard floor nozzle: ●
	Upholstery nozzle: ●
	Furniture brush: ●
	Crevice nozzle: ●
	Turbo suction brush (small): x
	Turbo suction brush (large): ○ Ref.-No.: 36 14 920
	Electric suction brush: x
	Other: water suction nozzle, defoaming agent

Technical Data



Basic data	Model	premium S 20 E	premium SR 9800 S	premium SR 1107
	Colour	grey/black	anthracite/stainless steel	anthracite
	Reference-number	36 19 003	44 19 003	36 26 001
	EAN-Code	4 002 780 009 231	8 690 394 637 658	4 002 780 009 293
	Size (H x W x D)	37 x 37 x 38 cm	56 x 38 x 38 cm	109 x 30 x 25 cm
	Weight	5.8 kg	11.2 kg	8.9 kg
	Maximum power consumption	800 watt	1,600 watt	800 watt
	Suction power control	●	x	x
	Power indication	x	x	x
	Test marks	protective insulation, GS	protective insulation	protective insulation, GS
Features	Storage-system	Accessory holder	x	Accessory holder
	Suction tube parking position	●	x	x
	Cable rewind/cable holder	retractable cable holder	●	● rotating cable holder
	Operating radius	15 m	8 m	14 m, cable length 12.5 m
	Power head socket	●	x	x
	Manoeuvrable by	5 rubber castors with multi-directional mobility	2 big soft roll wheels 2 guiding wheels	2 rubber covered soft roll wheels
	Suction tube	stainless steel, height-adjustable	2 pc(s). plastic	plastic
	Suction hose with handle	● + suction control	● + suction control	ergonomicer Handle
	Recommended use	for cleaning of heavily soiled or large floor areas and upholstery in living and working rooms		
	Filters & dust bags	Filter system	7-stage filter system: 4 ply micro nonwoven filter bag, permanent fine dust filter, motor protection filter, HEPA filter	paper filter, cartridge filter, washable foam filter, washable motor protection filter
Capacity of filter bag		capacity of filter bag: 8 l capacity of dust compartment: 15 l	22 l	4.5 l
Lid closing stop		x	x	●
Maximum vacuum		24 kPa	22 kPa	19 kPa
Maximum air flow		32 l/sec.	32 l/sec.	23 l/sec.
Dust bags coming with the appliance		●	●	●
HEPA-filter		● Ref.-No.: 26 30 870	x	● Ref.-No.: 26 30 870
Micro exhaust air filter		x	x	●
Motor protection filter		●	●	x
Micro nonwoven filters (5 pc(s).)		○ Ref.-No.: 26 30 805	x	○ Ref.-No.: 36 26 805
Paper bags (5 pc(s).)	○ Ref.-No.: 32 70 805	○ Ref.-No.: 26 01 805	○ Ref.-No.: 23 10 805	
Accessories	Switch over floor suction nozzle	pivot joint with swivel function	pivot joint with swivel function	3 micro-pile adjustmets
	Hard floor nozzle	○ Ref.-No.: 27 24 880	Attachment	x
	Upholstery nozzle	●	●	●
	Furniture brush	○ Ref.-No.: 26 30 852	●	x
	Crevice nozzle	●	●	●
	Roller brush	x	x	● dual-line bristles
	Turbo suction brush (small)	○ Ref.-No.: 24 11 820	○ Ref.-No.: 24 11 820	x
	Turbo suction brush (large)	○ Ref.-No.: 27 25 820	○ Ref.-No.: 27 25 820	x
	Electric suction brush	○ Ref.-No.: 22 15 810	x	●
	Other	all round bumper to protect furniture against damages, automatic overload protection	window cleaning attachment, foam filter	electrical filter exchange indicator

● = available respectively included in the basic equipment | x = not available respectively not possible | ○ = available as optional accessory / not included in the basic equipment | Fakir-original accessory | Subject to technical modifications



Basic data	Model	trend SR 100
	Colour	black
	Reference-number	67 29 006
	EAN-Code	4 002 780 009 422
	Size (H x W x D)	35 x 28 x 28 cm
	Weight	2,9 kg
	Maximum power consumption	600 watt
	Suction power control	x
	Power indication	x
	Test marks	protective insulation, GS
Features	Storage-system	x
	Suction tube parking position	x
	Cable rewind/cable holder	x
	Operating radius	4 m
	Power head socket	x
	Manoeuvrable by	x
	Suction tube	20 cm aluminium tube
	Suction hose with handle	1 m in-hose, metal - plastic coated
	Recommended use	Excellent vacuum performance of ashes from grills and stoves
	Filter & dust bags	Ash tank / Capacity of filter bag
Lid closing stop		x
Maximum vacuum		15,6 kPa
Maximum air flow		23,5 l/s
EPA-filter		● Ref.-No.: 36 29 860
Micro exhaust air filter		x
Motor protection filter		x
Micro nonwoven filter		x
Paper bags		x

● = available respectively included in the basic equipment | x = not available respectively not possible | ○ = available as optional accessory / not included in the basic equipment | Fakir-original accessory | Subject to technical modifications

Technical Data



Basic data	Model	Starky HSA 144	Starky HSA 180	Starky HSA 252
	Colour	white / green	red / grey	silver / smoked glass
	Reference-number	30 91 003	30 92 003	30 93 003
	EAN-Code	4 002 780 009 552	4 002 780 009 569	4 002 780 009 576
	Size (H x W x D)	108 x 26.5 x 19.4 cm	108 x 26.5 x 19.4 cm	108 x 26.5 x 19.4 cm
	Weight	2.3 kg	2.5 kg	2.7 kg
	Maximum power consumption	60 watt / 14.4 V	80 watt / 18 V	80 watt / 25.2 V
	Suction power control	electronic	electronic	electronic
	Power settings	2 (High/Low)	2 (High/Low)	2 (High/Low)
	Maximum vacuum	4 kPa	4 kPa	4 kPa
	Akkutechnik	Li-Ion (Lithium- Ion)	Li-Ion (Lithium- Ion)	Li-Ion (Lithium- Ion)
	Sound pressure level	80 dB	80 dB	80 dB
	Cyclone technologie	●	●	●
	Charging time	4-5 hours	4-5 hours	4-5 hours
Features	Operating time (Low)	up to 30 min	up to 40 min	up to 55 min
	Operating time (High)	up to 20 min	up to 25 min	up to 35 min
	"Operating time handheld vacuum cleaner"	20 min	30 min	35 min
	Test marks	CE	CE	CE
	Charging base	freestanding charging base	freestanding charging base	freestanding charging base
	Charging control lamp	●	●	●
	On/Off	On / Off button on upright vac	On / Off button on upright vac	On / Off button on upright vac
	Carrying handle	ergonomic carrying handle	ergonomic carrying handle	ergonomic carrying handle
	Handle	ergonomic handle	ergonomic handle	ergonomic handle
	Standing property	free standing	free standing	free standing
Filters & dust bags	Recommended use	carpets and hard floors	carpets and hard floors	carpets and hard floors
	Filter system	foam- and micrononwoven filter	foam- and micrononwoven filter	foam- and micrononwoven filter
	Capacity of filter bag	0,5 l	0,5 l	0,5 l
Accessories	Motor protection filter	● Ref. No.: 30 91 086	● Ref. No.: 30 91 086	● Ref. No.: 30 91 086
	Electric suction brush (ESB)	● Ref. No.: 30 91 100	● Ref. No.: 30 91 100	● Ref. No.: 30 91 100
	Crevice nozzle (combi-nozzle)	● Ref. No.: 30 91 854	● Ref. No.: 30 91 854	● Ref. No.: 30 91 854
	Furniture brush (combi-nozzle)	● Ref. No.: 30 91 854	● Ref. No.: 30 91 854	● Ref. No.: 30 91 854
	Charging base	● Ref. No.: 30 91 150	● Ref. No.: 30 91 150	● Ref. No.: 30 91 150



Basic data	Model	Starky PRO HS 300	Starky HS 160	
	Colour	silver/smoked glass	silver/black	
	Reference-number	36 21 003	36 12 003	
	EAN-Code	4 002 780 009 248	4 002 780 009 156	
	Size (H x W x D)	114 - 134 x 28 x 15 cm	110 x 26 x 26 cm	
	Weight	3.3 kg	2.9 kg	
	Maximum power consumption	700 watt	700 watt	
	Suction power control	electronic	electronic	
	Power indication	LED	min/max	
	Test marks	protective insulation	protective insulation	
	Features	Storage-system	accessory clip	x
		Cable rewind	manual	manual
Operating radius		7 m	6.5 m	
Cable length		6 m	6 m	
Handle		ergonomic	ergonomic	
Standing property		free standing	free standing	
Recommended use		for gentle care of carpets in living rooms		
Filters & dust bags	Filter system	EPA-filter, pre-filter, exhaust air filter	washable motor protection filter, textile filter, EPA filter	
	Capacity of filter bag	1.2 l	1 l	
	Dust bag full indicator	x	x	
	Maximum vacuum	20 kPa	19 kPa	
	Maximum air flow	30 l/sec.	29 l/sec.	
	Exhaust air filter	●	x	
	Motor protection filter	x	●	
Accessories	Switch over floor suction nozzle	pivot joint with swivel function	pivot joint with swivel function	
	Hard floor nozzle	x	●	
	Upholstery nozzle	●	x	
	Furniture brush	x	x	
	Crevice nozzle	●	●	
Other	handheld vacuum cleaner and stick	handheld vacuum cleaner and stick		

● = available respectively included in the basic equipment | x = not available respectively not possible | O = available as optional accessory / not included in the basic equipment | Fakir-original accessory | Subject to technical modifications

● = available respectively included in the basic equipment | x = not available respectively not possible | O = available as optional accessory / not included in the basic equipment | Fakir-original accessory | Subject to technical modifications

Technical Data



Basic data	Model	prestige DR 86	prestige DR 88	
	Colour	white	white	
	Reference-number	49 50 003	49 51 003	
	EAN-Code	4 002 780 008 555	4 002 780 008 562	
	Size (H x W x D)	27 x 33 x 44 cm	27 x 33 x 44 cm	
	Weight	8 kg	9.5 kg	
	External heating	1,450 watt	1,450 watt/230 Volt	
	Power indication	x	x	
	Tank system	1-tank-system	2-tank-system	
	Heating-up time	15 Minutes	8 Minutes	
	Operating time	1 hour	permanent	
	Features	Manoeuvrable by	2 castors, 1 guiding wheel	2 castors, 1 guiding wheel
		Steam control	●	●
		"Steam ready" indicator	●	●
"Low water" indicator		acoustical and visual	acoustical and visual	
Cold water tank		x	2 l	
Tank capacity/steam pressure		2.15 l/4 bar	1 l/4.5 bar	
Cable rewind		manual	manual	
Cable length		3.3 m	3.3 m	
Operating radius		7 m	7 m	
Manometer		●	●	
Carrying handle		●	●	
Turn switch		off, iron, steam	off, iron, steam	
Telescopic guiding tube		x	x	
Steam hose with handle and touch contact switch		●	●	
Connection for iron	●	●		
Recommended use	for household use: cleaning of tiles, stone floors, synthetic floors, windows including frames, wet areas and upholstery as well as ironing			
Accessories	Floor nozzle	●	●	
	2 extension tubes	●	●	
	Triangular nozzle	●	●	
	Window cleaning nozzle	●	●	
	Jet nozzle	●	●	
	Small, round nylon brush	●	●	
	Small, round brass brush	O Ref.-No.: 47 97 392	●	
	2 cleaning clothes	●	●	
	Micro fibre cloths	x	x	
	Funnel	●	●	
	Steam lance	O Ref.-No.: 47 97 851	O Ref.-No.: 47 97 851	
	Carpet glide attachment	x	x	
	Iron	O Ref.-No.: 47 91 820	O Ref.-No.: 47 91 820	
	Other	stainless steel pressure tank	articulated connection	



Basic data	Model	Steam Expert DR 140	premium EB 3 SL	premium EB 2	
	Colour	violet	light grey	light grey	
	Reference-number	49 52 003	01 10 005	04 04 005	
	EAN-Code	8 690 394 646 612	4 002 780 000 238	4 002 780 000 726	
	Size (H x W x D)	1.06 m-1.3 m x 30 x 17.5 cm	107 x 37 x 38 cm	112 x 34 x 21 cm	
	Weight	2.6 kg	7.9 kg	6.4 kg	
	Maximum power consumption	1,300 watt	500 watt	300 watt	
	Dust suction		● central	x	
	Discs		3 pc(s).	2 pc(s).	
	Features	Storage-system		x	x
		Cable rewind/cable holder	rotatable cable rewind	●	●
Cable length		5.9 m	7 m	7 m	
Metal housing			● robust	● robust	
Guide handle		x	2	1	
Recommended use	for household use: cleaning of tiles, stone floors, synthetic floors, wet areas		for cleaning and gentle care of all smooth floors		
Filters & dust bags	Filter system	x	2 stages	x	
	Filter volume	x	10 l	x	
	Dust bag full indicator	x	x	x	
	Dust bag	x	2-ply paper bag	x	
	Textile fine dust filter	x	●	x	
Accessories	Polishing brush	x	3 pc(s).	2 pc(s).	
	Felt pad	x	3 pc(s).	2 pc(s).	
	Hard fibre brush	x	O Ref.-No.: 01 00 820	O Ref.-No.: 01 00 820	
	SR-Pad	x	O Ref.-No.: 01 00 860	O Ref.-No.: 01 00 860	
	Sealing cover for wet cleaning	x	O Ref.-No.: 01 00 870	x	
Other	stainless steel pressure tank	large paper dust bag	x		



Hard fibre brush SB pad Sanding disc Sanding pad Polishing brush Felt pad Sealing cover for 3 SL

● = available respectively included in the basic equipment | x = not available respectively not possible | O = available as optional accessory / not included in the basic equipment | Fakir-original accessory | Subject to technical modifications

● = available respectively included in the basic equipment | x = not available respectively not possible | O = available as optional accessory / not included in the basic equipment | Fakir-original accessory | Subject to technical modifications

Technical Data



Basic data	prestige AS 1108 T CBC	premium AS 1800 T	prestige AS 1072 T		
	Model	prestige AS 1108 T CBC	premium AS 1800 T	prestige AS 1072 T	
Colour	silver/smoked glass	silver/smoked glass	silver/smoked glass		
Reference-number	30 55 003	30 56 003	30 43 003		
EAN-Code	4 002 780 008 661	4 002 780 008 685	4 002 780 008 647		
Size (H x W x D)	12.8 x 11.5 x 41 cm	12.8 x 11.5 x 41 cm	12.8 x 11.5 x 41 cm		
Weight	1.1 kg / 1.3 kg with brush	1.1 kg / 1.3 kg with brush	950 g		
Maximum power consumption	75 watt	80 watt	45 watt		
Current consumption	10.8 V / 1.5 Ah	18.5 V / 1.5 Ah	7.2 V / 1.3 Ah		
Battery	9-celled battery pack	5-celled battery pack	6-celled battery pack		
Battery technique	NiMH (Nickel-Metal-Hydride)	Li-Ion (Lithium-Ion)	NiMH (Nickel-Metal-Hydride)		
Operating time	20 Minutes	25 Minutes	15 Minutes		
Power settings	2	2	1		
Test marks	GS (Charger)	GS (Charger)	GS (Charger)		
Features	Charger	● (with cable + charging cable)	● (with cable)	● (with cable)	
	Charging control lamp	● + integrated charger status control	● + integrated charger status control	●	
	Capacity of liquids	x	x	x	
	Capacity of dry dirt	0.4 l	0.4 l	0.4 l	
	Freestanding charging base	●	●	x	
	Wall mountable charging base	●	●	●	
	Accessory storage	●	●	●	
	Maximum vacuum	2,7 kPa	2,7 kPa	2,7 kPa	
	Maximum air flow	11 l/sec.	12 l/sec.	6 l/sec.	
	Recommended use	with additional electric suction brush for car cleaning	ideal for dry vacuuming in the kitchen and hobby room	ideal for domestic jobs and hobby applications	
	Filter	Nozzle & filter system	electric-powered suction brush, washable filter	electric-powered suction brush, washable filter	washable filter
		Water suction nozzle	x	x	x
Accessories	Furniture brush	●	●	●	
	Crevice nozzle	●	●	●	
	Electric suction brush	●	●	x	
	Power-LED-lamp with emergency flashlight	●	●	x	
	Dust filter	●	●	●	
	Replacement battery	○ Ref.-No.: 30 55 140	○ Ref.-No.: 30 56 140	○ Ref.-No.: 30 43 140	
	Carrying bag	●	x	x	



Basic data	prestige AS 1072 NT	prestige AS 1108 TL	premium AS LHN 18		
	Model	prestige AS 1072 NT	prestige AS 1108 TL	premium AS LHN 18	
Colour	silver/smoked glass · crema · red	silver/smoked glass	black/chrome		
Reference-number	30 44 003 · 30 81 003 · 30 80 003	30 58 003	30 35 003		
EAN-Code	4 002 780 008 654 4 002 780 008 968 4 002 780 008 951	4 002 780 008 869	8 690 394 635 210		
Size (H x W x D)	12.8 x 11.5 x 41 cm	12,8 x 11,5 x 41 cm	11.5 x 10.5 x 41.5 cm		
Weight	985 g	1 kg	1.1 kg		
Maximum power consumption	45 watt	75 watt	95 watt		
Current consumption	7.2 V / 1.3 Ah	10.8 V / 1,3 Ah	18 V / 2,1 Ah		
Battery	6-celled battery pack	9-zelliger Batteriepack	5-celled battery pack		
Battery technique	NiMH (Nickel-Metal-Hydride)	NiMH (Nickel-Metal-Hydride)	Li-Ion (Lithium-Ion)		
Operating time	15 Minutes	20 Minutes	25 Minutes		
Test marks	GS (Charger)	GS (Charger)	GS (Charger)		
Features	Charger	● (with cable)	● (with cable)	● (with cable)	
	Charging control lamp	●	●	●	
	Capacity of liquids	0.25 l	x	x	
	Capacity of dry dirt	0.4 l	0.4 l	0.4 l	
	Freestanding charging base	x	x	●	
	Wall mountable charging base	●	●	●	
	Accessory storage	●	●	x	
	Maximum vacuum	2,7 kPa	2,7 kPa	2,7 kPa	
	Maximum air flow	6 l/sec.	8 l/sec.	12 l/sec.	
	Recommended use	ideal for dry and wet pick-up in the household	Ideal for dry pick up in the kitchen and hobby room	ideal for dry pick up in the kitchen and hobby room	
	Filter	Nozzle & filter system	ideal for dry and wet pick up in domestic applications	ideal for domestic jobs and hobby applications	washable EPA filter
		Water suction nozzle	●	x	x
Accessories	Furniture brush	●	●	●	
	Crevice nozzle	●	●	●	
	Electric suction brush	x	x	x	
	Power-LED-lamp with emergency flashlight	x	●	x	
	Dust filter	●	●	●	
	Replacement battery	○ Ref.-No.: 30 43 140	○ Ref.-No.: 30 58 140	x	
	Carrying bag	x	x	x	
	Other	x	x	rubberized, comfortable handle	

Technical Data



Basic data	Model	premium AS WH Racing Edition	Robert RS 700
	Colour	carbon/anthracite	silver/black
	Reference-number	30 85 003	30 01 003
	EAN-Code	4 002 780 009 392	8 690 394 653 771
	Size (H x W x D)	12.8 x 11.5 x 41 cm	32 x 9 cm
	Weight	1.1 kg	3.2 kg
	Maximum power consumption	160 watt	3 watt
	Current consumption	18.5 V/1.3 Ah	14.4 V/2.2 Ah
	Battery	5-celled battery pack	12-celled battery pack
	Battery technique	Li-Ion (Lithium-Ion)	NiMH (Nickel-Metal-Hydride)
Operating time	25 Minutes	120 Minutes	
Power settings	2	2 speeds	
Test marks	GS (Charger)	GS (Charger)	
Features	Charger	● (with cable)	●
	Charging control lamp	● + integrated charger status control	●
	Capacity of liquids	x	x
	Capacity of dry dirt	0.4 l	0.34 l
	Freestanding charging base	●	●
	Freestanding / wall mountable charging base	●	x
	Accessory storage	●	x
	Maximum vacuum	2,7 kPa	x
	Maximum air flow	12 l/sec.	1.7 l/sec.
	Recommended use	ideal for domestic jobs and hobby applications	for gentle care of all kinds of floors in living rooms
Accessories Filter	Nozzle & filter system	washable filter	washable dust filter
	Water suction nozzle	x	x
	Furniture brush	●	x
	Crevice nozzle	●	x
	Electric suction brush	x	x
	Power-LED-lamp with emergency flashlight	x	x
	Dust filter	●	●
	Replacement battery	○ Ref.-No.: 30 56 140	x
	Carrying bag	x	x
	Other	x	x



Basic data	Model	Hobby HL 600	Cosy HL 320
	Colour	bahama/pearl white · light grey/pearl white · black/pearl white	anthracite/pearl white · light grey/pearl white
	Reference-number	54 10 007 · 54 19 007 · 54 13 007	54 17 006 · 54 05 006
	EAN-Code	4 002 780 008 487 4 002 780 008 494 4 002 780 008 500	4 002 780 004 762 4 002 780 001 884
	Size (H x W x D)	36 x 24 x 15 cm	32 x 20 x 14 cm
	Weight	2.2 kg	1.7 kg
	Maximum power consumption	2,000 watt	2,000 watt
	Pilot lamp	●	●
	Power indication	electrical, rotary switch	electrical, rotary switch
	Test marks	protective insulation, GS	protective insulation, GS
Features	Heating stages	2 x (1,000/2,000 watt)	2 x (1,000/2,000 watt)
	Fan stages	1	1
	Stand unit	●	●
	Wall mounting	●	x
	Housing	plastic	plastic
	Blower	●	●
	Thermostat	with frost guard setting	with frost guard setting
	Overheat cut out	● 2	●
	Safety cut out	x	x
	Timer	x	x
Oscillating function	x	x	
Carrying handle	●	●	
Power supply cable	1.8 m	1.8 m	
Protection class	drip-proof IP21	drip-proof IP21	
Recommended use	optimal stand unit	optimal stand unit	
Accessories Filter	Dust filter	x	x
	Remote control	x	x
	Other	detachable base for wall fitting	ready-to-operate

Technical Data



Basic data	Model	trend HB 120	trend HL 100	trend HL 140
	Colour	high-gloss white / silver	white / grey	high-gloss white / silver
	Reference-number	63 21 006	54 21 006	62 58 006
	EAN-Code	4 002 780 009 606	4 002 780 009 637	4 002 780 009 620
	Size (H x W x D)	14 x 28 x 35 cm	25 x 19 x 13 cm	25 x 16 x 15 cm
	Weight	2.1 kg	1 kg	1.4 kg
	Maximum power consumption	2,000 watt	2,000 watt	1,800 watt
	Pilot lamp	●	●	x
	Power indication	x	x	electrical, rotary switch
	Test marks	protective insulation, GS	protective insulation, GS	protective insulation, GS

Features	Heating stages	2 (1,200 / 2,000 watt)	2 (1,000 / 2,000 watt)	2 (900 / 1,800 watt)
	Fan stages	1	1	1
	Stand unit	●	●	●
	Wall mounting	●	x	x
	Housing	plastic	plastic	plastic
	Blower	●	●	●
	Thermostat	x	x	x
	Overheat cut out	●	●	●
	Safety cut out	x	●	●
	Timer	x	x	x
	Oscillating function	x	x	x
	Carrying handle	●	●	●
	Power supply cable	ca. 1,5 m	ca. 1,3 m	ca. 1,4 m
	Protection class	IPX3	drip-proof IP21	x
	Recommended use	optimal auxiliary heating for bathrooms	optimal auxiliary heating for bathrooms	optimal auxiliary heating for all living rooms



Basic data	Model	prestige HL 300	premium HT 2000	premium HT 800
	Colour	high-gloss white / silver	black	high-gloss white
	Reference-number	32 57 006	62 07 006	62 17 006
	EAN-Code	4 002 780 009 613	8 690 394 649 200	4 002 780 009 668
	Size (H x W x D)	26 x 16 x 15 cm	H: 85 cm, bottom base Ø 26 cm	87 x 26 x 26 cm
	Weight	1,6 kg	4,5 kg	3,0 kg
	Maximum power consumption	1,800 watt	2,000 watt	2,000 watt
	Pilot lamp	x	●	●
	Power indication	LED-Display	LED-Display	LED-Display
	Power indication	protective insulation, GS	protective insulation, GS	protective insulation, GS

Features	Heating stages	3 (600 / 1,200 / 1,800 watt)	4 (600/1,000/1,200/2,000 watt)	2 (1,200 / 2,000 watt)
	Fan stages	1	x	x
	Stand unit	●	●	●
	Wall mounting	x	x	x
	Housing	plastic	plastic	plastic
	Blower	●	●	●
	Thermostat	x	electronically adjustable, 15°C - 35°C	with frost guard setting
	Overheat cut out	●	●	●
	Safety cut out	●	● with automatic cut off	●
	Timer	24 hours, electronic	1-12 hours	8 hours
	Oscillating function	x	75°	●
	Carrying handle	●	●	●
	Power supply cable	1 m	1,6 m	1,8 m
	Protection class	x	x	x
	Recommended use	optimal auxiliary heating for all living rooms	optimal auxiliary heating for all living rooms	optimal auxiliary heating for all living rooms

Accessories	Dust filter	x	exchangeable	x
	Remote control	x	●	● IR
	Other	x	Glass bottom base	x



Basic data	Model	premium HT 700 WiFi	prestige HT 400	
	Colour	high-gloss white	high-gloss white	
	Reference-number	62 11 006	62 16 006	
	EAN-Code	4 002 780 009 651	4 002 780 009 644	
	Size (H x W x D)	27 x 23 x 20 cm	52 x 21 x 17 cm	
	Weight	2,2 kg	1,9 kg	
	Maximum power consumption	2,000 watt	2,000 watt	
	Pilot lamp	●	●	
	Power indication	LED-display	LED-display	
	Test marks	protective insulation, GS	protective insulation, GS	
Features	Heating stages	2 (1,400 / 2,000 watt)	2 (1,300 / 2,000 watt)	
	Fan stages	x	x	
	Stand unit	●	●	
	Wall mounting	x	x	
	Housing	plastic	plastic	
	Blower	●	●	
	Thermostat	with frost guard setting	with frost guard setting	
	Overheat cut out	●	●	
	Safety cut out	●	●	
	Timer-function	●	●	
	Oscillating function	●	●	
	Carrying handle	●	●	
	Power supply cable	ca. 1,7 m	ca. 1,7 m	
	Protection class	x	x	
	Recommended use	optimal auxiliary heating for all living rooms	optimal auxiliary heating for Bathrooms	
	Accessories	Dust filter	x	x
		Remote control	● IR	● IR
Other		WiFi-function	x	



Basic data	Model	prestige AC 9	prestige AC 12
	Colour	white / black	white / black
	Reference-number	67 29 006	67 30 006
	EAN-Code	4 002 780 009 422	4 002 780 009 439
	Size (H x W x D)	795 x 480 x 400 mm	795 x 480 x 400 mm
	Weight	35 kg	38 kg
	Cooling capacity	9000 BTU/h (2,6 kW)	12000 BTU/h (3,5 kW)
	Heating capacity	9000 BTU/h (2,6 kW)	11300 BTU/h (3,3 kW)
	Power input Cooling max.	1,0 kW	1,34 kW
	Power input Heating max.	0,87 kW	1,10 kW
Features	Sound power level (dB(A))	62 dB(A)	62 dB(A)
	Power indication	x	x
	Energy consumption Cooling	1,0 kW/60 min	1,3 kW/60 min
	Energy consumption Heating	0,9 kW/60 min	1,1 kW/60 min
	Coefficient of performance (COP)	3,0	3,0
	Energy efficiency ratio (EER)	2,6	2,6
	Energy efficiency class Cooling	A	A
	Energy efficiency class Heating	A +	A +
	Test marks	protective insulation, GS	protective insulation, GS
	Ventilation function	●	●
	Cooling function	●	●
	Dehumidification capacity	14.4 l/day	28.8 l/day
	Air flow control	motorized	motorized
	Ventilation stages	3	3
	Exhaust hose	exterior- 15 cm/1.6 cm	exterior- 15 cm/1.6 cm
	Temperature and time presetting	elec.	elec.
	Timer	●	●
Mobile	4 casters	4 casters	
Ready to go	x	x	
Recommended use	pleasant well-being in summer	pleasant well-being in summer	
Filters	Nylon filter	2 pcs	2 pcs
	Coolant	R 410 A	R 410 A
	Quantity of coolant	0,4 kg	0,25 kg
Accessories	Remote control	with display	with display
	Window exhaust nozzle	●	●
	Window slide kit	●	●
	Ready to operate	●	●
	Drain hose	●	●
	Wall exhaust adapter	●	●

Technical Data



Basic data	Model	Doppio HL 160	prestige HQ 600	prestige HQ 1800	
	Colour	cremewhite/anthracite	silver/white	silver/white	
	Reference-number	62 09 006	63 52 006	63 48 006	
	EAN-Code	8 690 394 649 255	4 002 780 006 438	4 002 780 005 141	
	Size (H x W x D)	32.5 x 26.5 x 14 cm	14 x 54 x 8.5 cm	14 x 54 x 8.5 cm	
	Weight	1.6 kg	1.6 kg	1.6 kg	
	Maximum power consumption	2,000 watt	600 watt	1,800 watt	
	Pilot lamp	●	Visual indicator	x	
	Power indication	Turn switch	pull witch	●	
	Test marks	protective insulation	GS	GS	
	Features	Heating stages	2 x (1,000/2,000 watt)	1 x (600 watt)	3 x (600/1,200/1,800 watt)
		Fan stages	1	x	x
Stand unit		●	x	x	
Wall mounting		x	●	●	
Blower		●	x	x	
Direction of air flow		not adjustable	adjustable up to 30°	rotatable	
Thermostat		adjustable, 15°C - 35°C	x	x	
Overheat cut out		●	x	x	
Safety cut out		x	x	x	
Timer		x	x	x	
Oscillating function		x	x	x	
Carrying handle		x	x	x	
Power supply cable		1.5 m	1.7 m	x	
Protection class		x	splash-proof IP24	splash-proof IP24	
Recommended use		optimal auxiliary heating for all living rooms	practical wall unit	wall unit	
Other	x	special heating element, ready-to-operate	ready-to-operate		



Basic data	Model	prestige HF 500	prestige HK 2010 CT	
	Colour	chrome/anthracite	white - black	
	Reference-number	60 04 006	68 79 006 - 68 78 006	
	EAN-Code	4 002 780 005 288	4 002 780 009 385 4 002 780 008 449	
	Size (H x W x D)	25 x 25 x 10 cm	37.5 x 60 x 21 cm (with pedestals) 33.5 x 60 x 10 cm (without pedestals)	
	Weight	1 kg	3.3 kg	
	Maximum power consumption	500 watt	2,000 watt	
	Pilot lamp	●	●	
	Power indication	x	●	
	Test marks	x	x	
	Features	Heating stages	1 x (500 watt)	3 x (750/1,250/2,000 watt)
		Fan stages	x	x
Stand unit		x	●	
Wall mounting		●	●	
Housing		polished stainless steel	metal	
Blower		x	turbo fan	
Thermostat		infinitely variable	with frost guard setting	
Overheat cut out		x	●	
Safety cut out		x	x	
Timer		x	x	
Oscillating function		x	x	
Carrying handle		x	heat isolated	
Power supply cable		0.4 m	●	
Protection class		drip-proof IP21	x	
Recommended use		ideal auxiliary device for wall mounting	stand and wall unit	
Other	ready-to-operate	ready-to-operate		

● = available respectively included in the basic equipment | x = not available respectively not possible | ○ = available as optional accessory / not included in the basic equipment | Fakir-original accessory | Subject to technical modifications

● = available respectively included in the basic equipment | x = not available respectively not possible | ○ = available as optional accessory / not included in the basic equipment | Fakir-original accessory | Subject to technical modifications

Technical Data



Basic data	Model	prestige HR 09 TURBO	prestige HR 11 TURBO
	Colour	pearl grey	pearl grey
	Reference-number	86 32 007	86 33 007
	EAN-Code	8 690 394 642 713	8 690 394 637 603
	Size (H x W x D)	63,5 x 45,5 x 24,0 cm	63,5 x 54,0 x 24,0 cm
	Weight	12.5 kg	13.0 kg
	Maximum power consumption	2,300 watt	2,500 watt
	Pilot lamp	yes	yes
	Power indication	min/max	min/max
	Features	Pilot lamp	2
Cord storage		Cable rewind	Cable rewind
Wheels		4 wheels for easy manoeuvring	4 wheels for easy manoeuvring
4 heating stages		800/1,200/2,000/2,300 watt	1,000/1,200/2,200/2,500 watt
Stand unit		●	●
Wall mounting		x	x
Housing		polished stainless steel	polished stainless steel
Heating fins		9	11
Heater blower		●	●
Thermostat		●	●
Overheat protection		●	●
Safety cut out		●	●
Air humidifier with clothes airer		●	●
Power supply cable		1.9 m	1.9 m
Protection class		x	x
Recommended use		Stand unit	Stand unit



Basic data	Model	Vigor Plus LR 600	
	Colour	titan-silver	
	Reference-number	67 41 006	
	EAN-Code	4 002 780 007 923	
	Size (H x W x D)	61.0 x 34.3 x 25.5 cm	
	Weight	6.8 kg	
	Maximum power consumption	80 watt	
	Voltage/frequency	230 V / 50 Hz	
	Noise level	20 dB - max. 52 dB	
	Test marks	GS	
	Features	Fan stages	3, silent mode, automatic sensor
		Automatic sensor	● regulates the fan
Sensors		Clean air / odour & dust (allergen substances) / room air indicator	
Diagnostic sensors		clean pre-filter, replace filter / change filter	
Programming		electronically, pre-set time, air conditioning	
Safety shutdown		automatically, for cleaning	
Quality control		automatically, for cleaning	
Start-up operations		2 minutes air test in clean air	
Function display		● UV-light, negative ions	
Timer		8 h / 2 h / 1 h, automatic switch-off	
Hygiene	Recommended room size	≤ 70 m ²	
	Carrying handle	●	
	Cable length	2.40 m	
	Recommended use	pleasant room climate	
	Pre-filter	against coarse particles (washable)	
	Plasma-filter	dust collector	
	Combi HEPA- / carbon filter	combined filter	
	Negative ions	2 x 10 ⁶ / cm ³	
Active oxygen output	≤ 0.05 ppm		
UV-lamp	●		
UV-spectrum	20µW / cm ²		
UV-wavelength	254 nm wavelength against micro organism		
Accessories	Remote control	● incl. battery	
	Functions of remote control	on-off / blower / automatic switching of / ion / UV / timer	
	Replacement filter	HEPA- / carbon filter	
	Bacterial filter	UV-lamp	



Basic data	Model	prestige LB 20
	Colour	light grey
	Reference-number	68 08 006
	EAN-Code	4 002 780 007 046
	Size (H x W x D)	37 x 30 x 14.5 cm
	Weight	2.4 kg
	Maximum power consumption	35 watt
	LCD-display	x
	Pilot lamp	●
	Test marks	GS
Features	Water tank	3.7 l
	Dehumidification efficiency	x
	Recommended use	for rooms up to approx. 45 m ² resp. 110 m ³
	Ready-to-operate	●
	Transportabel	●
	Hygrostat	electronic
	Refrigerant	x
	Manoeuvrable by	x
	Power input	ultrasonic air humidifier
	Recommended use	for increase of the air humidity to a pleasant level
Accessories	Washable air filter	x
	Other	automatic water decalcification

Technical Data



Basic data	Model	prestige TVL 30	prestige TVL 90	prestige TV 18
	Colour	silver	silver/black	black
	Reference-number	69 40 009	69 53 009	69 51 009
	EAN-Code	4 002 780 007 275	8 690 394 650 220	4 002 780 008 586
	Size (H x W x D)	120 – 135 x 17 cm (pedestal Ø 36 cm)	76 x 22 x 30 cm	108 x 17 cm (pedestal Ø 33 cm)
	Weight	7.3 kg	4.9 kg	4.3 kg
	Maximum power consumption	40 watt	90 watt	40 watt
	Sound power level (dB(A))	58 dB(A)	67 dB(A)	56 dB(A)
	Power indication	illuminated LED-display	LED-display	x
	Test marks	protective insulation	protective insulation	protective insulation, GS
Features	Wind modes	3 (natural, standard, sleep)	x	3 (natural, standard, sleep)
	Speed levels	8	3	3
	Air flow	600 m³/h	800 m³/h	590 m³/h
	Ionizer	●	x	x
	Oscillating	3 oscillating mode: 90°, 180°, 360°	80°	60°
	Timer	12 hours-timer	8 hours-timer	7.5 hours-timer
	Carrying handle	●	●	●
	Height adjustable	● 120-135 cm	x	x
	Storage-system	●	●	●
	Remote control function	on/off, speed, oscillation, timer, wind mode	on/off, speed, oscillation, timer	on/off, speed, oscillation, timer, wind mode
Recommended use	for pleasant well-being in summer			
Accessories	Remote control	●	●	●



Basic data	Model	prestige VL 45 GF	prestige VL 30 G	prestige VC 45 S	prestige VC 29
	Colour	gun metal	gun metal	silver/anthracite	silver/anthracite
	Reference-number	69 34 009	69 24 009	69 46 009	69 44 009
	EAN-Code	4 002 780 006 674	4 002 780 008 579	4 002 780 007 633	4 002 780 007 619
	Size (H x W x D)	100-135 x 45 x 28 cm	46 x 34 x 30 cm	119-139 x 50 x 41 cm	44 x 30 x 23,5 cm
	Weight	6.1 kg	2.6 kg	7.0 kg	2.4 kg
	Maximum power consumption	60 watt	45 watt	60 watt	40 watt
	Sound power level (dB(A))	64 dB(A)	58 dB(A)	60 dB(A)	55 dB(A)
	Power indication	x	x	x	x
	Test marks	protective insulation, GS	protective insulation, GS	protective insulation, GS	protective insulation, GS
Features	Wind modes	2	x	x	x
	Speed levels	3	3	3	2
	Air flow	1,900 m³/h	1,600 m³/h	1,900 m³/h	1,300 m³/h
	Ionizer	x	x	x	x
	Oscillating	up to 75°	up to 75°	up to 75°	up to 85°
	Timer	8 hours-timer	x	x	x
	Carrying handle	x	x	x	x
	Telescopic stand	stable, height 100-135 cm	x	stable, height 119-139 cm	x
	Inclination angle	x	adjustable	adjustable	x
	Grille diameter	450 mm	340 mm	440 mm	300 mm
Blade diameter	390 mm	280 mm	390 mm	250 mm	
Quantity of blades	3	3	3	3	
Protection grid	metal	metal	metal	metal	
Storage-system	support on the appliance	x	x	x	
Remote control functions	on/off, speed, wind mode, oscillation	x	x	x	
Recommended use	for pleasant well-being in summer				
Accessories	Remote control	●	x	x	x

Technical Data



	prestige VC 40 S	prestige VC 20 S	prestige VC 360° Rotating
Basic data			
Model	prestige VC 40 S	prestige VC 20 S	prestige VC 360° Rotating
Colour	silver/dark grey	silver/anthracite	silver/dark grey
Reference-number	69 52 009	69 06 009	69 54 009
EAN-Code	4 002 780 008 593	8 690 394 655 331	8 690 394 650 183
Size (H x W x D)	120-140 x 50 x 50 cm	115 - 135 x 50 x 50 cm	127 - 148 x 50 x 50 cm
Weight	4,1 kg	3,5 kg	4,9 kg
Maximum power consumption	55 watt	55 watt	55 watt
Sound power level (dB(A))	-	-	66 dB(A)
Power indication	●		●
Test marks	protective insulation, GS	protective insulation	protective insulation, GS
Features			
Wind modes	3 (standard, natural, sleep)	x	3 (standard, natural, sleep)
Speed levels	3	3	3
Air flow	1,900 m ³ /h	1,900 m ³ /h	1,900 m ³ /h
Ionizer	x	x	x
Oscillating	oval, up to 50° horizontal, 20° vertical	50° horizontal, 15° - 25° vertical (manually)	360° horizontal, 35° vertikal
Timer	7.5 hours-timer	2 hours-timer	7.5 hours-Timer
Carrying handle	x	●	x
Telescopic stand	stable, height 120-140 cm	stable, height 115-135 cm	stable, height 127-155 cm
Inclination angle	adjustable	adjustable	adjustable
Grille diameter	440 mm	440 mm	470 mm
Blade diameter	390 mm	390 mm	390 mm
Quantity of blades	5	5	5
Protection grid	metal	metal	metal
Storage-system	x	x	x
Remote control functions	on/off, speed, timer, wind mode	x	on / off, speed, Timer, wind mode, oscillation
Recommended use	for pleasant well-being in summer		
Accessories			
Remote control	●	x	●

IMPRINT

Fakir Hausgeräte GmbH

Industriestr. 6 | P.O.Box 1480
DE-71665 Vaihingen/Enz | DE-71657 Vaihingen/Enz

Phone: +49(0) 7042 912-0
Fax: +49(0) 7042 912-358

E-mail: info@fakir.de
Internet: www.fakir.de



Find us on
Facebook
www.facebook.com/fakirgmbh

